

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62-57

FALL 1914

"QUALITY FIRST
TRADE LIST
OF THE
F. & F. NURSERIES
DEPT. AMERICAN NURSERY CO.

Springfield, Union Co., N. J.

Location, 17 Miles from New York City
Millburn Station, D. L. & W. R. R.
Springfield Station, Rahway Valley R. R.
Electric Cars pass our Office Every Half Hour, giving Direct
Communication with Summit, Millburn, Newark, Elizabeth
'Phone, No. 152 Millburn

Established at Roselle, N. J. in 1882

THE SHIPPING SEASON

We usually commence digging and shipping about the middle of October continuing until end of December.

A certificate of inspection from the State Entomologist will accompany each shipment.

We have a complete fumigation outfit, and when requested, will fumigate all stock.

Use the Nurseryman's Telegraphic Code in Telegraphing.

For convenience and economy in ordering by wire, a telegraph cipher is attached to each article.

Local and Long Distance, 'Phone Millburn 152.

NOTICE TO CUSTOMERS

We would say to those unacquainted with us that we have 200 acres devoted to the business; our methods of growing and handling stock are up to date. We solicit correspondence and personal inspection of our stock, confident that it will compare favorably with the best.

REFERENCES—For those who do not know us we refer to any leading nurseryman in the United States, Dun and Bradstreet's Mercantile Agencies.

PRICES—This list is intended for nurserymen and dealers only, and supersedes all previous editions. The prices are for the quantities named; 250, 25 and 5 will be furnished at the 1000, 100 and 10 rates respectively. We have tried to make our prices as low as we think well-grown stock should be sold. We expect, however, to sell on the market and meet reliable competition.

TERMS—We are glad to grant 30 to 60 days' time for payment of bills to all responsible parties, but parties we do not know, who have no commercial rating, must send remittance with order, or a guarantee signed by some Bank or someone of known responsibility to be sure of securing goods selected. If references are sent, we will confer with them and after hearing favorably, if goods selected are still unsold, we will enter them as requested, but we will not enter orders or ship goods until we know the customer is responsible.

We will not hold goods on inquiries.

Trees selected by customers at the nursery will be charged for in accordance with their value.

PACKING—This is done in boxes and bales for which a charge is made sufficient to remunerate for the cost of material only. Trees packed in bulk at no extra charge.

COMPLAINTS—Should there be any reason for complaint we must be notified on receipt of goods, otherwise we cannot entertain it. We make it a point to give all reasonable claims proper consideration.

ORDERS—Are accepted upon condition that they shall be void should any injury befall the stock from frost, or other cause over which we have no control.

VARIETIES—We reserve the right to select the varieties, but will give the purchaser his choice as far as is consistent with our stock. In ordering please state whether or not substitution will be permitted in case we should be short of any sort wanted.

GUARANTEE OF GENUINENESS—While we exercise the greatest care to have all our trees and plants genuine and reliable, and hold ourselves prepared to replace on proper proof, all that may prove untrue, we do not give any warranty expressed or implied; and in case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the stock.

We guarantee all our stock to be in good condition on leaving our hands, but we do not guarantee it to grow under all conditions, nor do we make up any loss whatever due to climate effects, or after culture on the part of the purchaser and the risks of transportation are to be borne by purchaser. When losses occur by detention, claims should be at once made on forwarders.

ORNAMENTAL DEPARTMENT

DECIDUOUS TREES

The trees offered in this list have been transplanted several times, are well rooted, of symmetrical shape and of quality described. We care for our trees and destroy annually hundreds that do not measure up to our standard of excellence. Most of our deciduous trees are graded by caliper measured 6 in. above ground, which is incomparably the best standard for the purchaser. A tree 12 to 15 feet in height may not caliper as much as one 10 to 12 or even less and if it is thus unproportioned it is an inferior tree. We have bought some of these offerings at what seemed an astonishingly low price but always to our sorrow.

| | Tel. Code | Each | Per 10 | Per 100 |
|--|--------------------|-------|---------|---------|
| ACER—campestris, 6-8 ft. | Gab | \$ 55 | \$ 5 00 | |
| 8-10 ft. | Gabion | 65 | 6 00 | |
| — colchicum, rubrum, 6- 8 ft. | Gabble | 80 | | |
| 8-10 ft. | Gabbler | 1 00 | | |
| 10-12 ft. | Gabbled | 1 25 | | |
| — dasycarpum, Silver Maple , 8-10 ft. | Gabbling | 30 | 2 50 | \$20 00 |
| 8-10 ft., 1 1/4 in. | Gabel | 35 | 3 00 | 25 00 |
| 10-11 ft., 1 1/2 in. | Gabeler | 50 | 4 50 | 40 00 |
| 11-12 ft., 1 3/4 in. | Gad | 65 | 6 00 | 50 00 |
| 12-13 ft., 2 in. | Gadfly | 90 | 8 00 | 65 00 |
| 12-13 ft., 2 1/4 in. | Gadder | 1 00 | 9 00 | 75 00 |
| 13-14 ft., 2 1/2 in. | Gadding | 1 25 | 11 50 | 90 00 |
| 14-15 ft., 3 in. | Gaddingly | 2 00 | 17 50 | 125 00 |
| 14-15 ft., 3 1/2 in. | Gadling | 2 50 | 22 50 | |
| — — pyramidalis, 10-14 ft. | Gaff | 65 | 6 00 | |
| — — wierii, Wier's Cut Leaf , 8-10 ft., 1 1/4 in. | Gaffle | 50 | 4 50 | 40 00 |
| 10-11 ft., 1 1/2 in. | Gafty | 65 | 6 00 | 55 00 |
| 11-12 ft., 1 3/4 in. | Gag | 1 00 | 9 00 | |
| 12-13 ft., 2 in. | Gage | 1 25 | 11 50 | |
| 13-14 ft., 2 1/4 in. | Gaged | 1 35 | 12 50 | |
| — negundo, Ash Leaf Maple , 8-10 ft., 1 1/4 in. | Gaggle | 45 | 4 00 | |
| 10-11 ft., 1 1/2 in. | Gaggling | 55 | 5 00 | |
| 11-12 ft., 1 3/4 in. | Gaily | 80 | | |
| 12-13 ft., 2 in. | Gain | 1 00 | | |
| 12-14 ft., 2 1/2 in. | Gained | 1 25 | | |
| — platanoides, Norway Maple , 8-10 ft., 1 1/4 in. | Gainful | 60 | 5 50 | 50 00 |
| 10-11 ft., 1 1/2 in. | Gainfully | 90 | 8 50 | 75 00 |
| 11-12 ft., 1 3/4 in. | Gaining | 1 30 | 12 50 | 100 00 |
| 12-13 ft., 2 in. | Gainings | 1 60 | 15 50 | 140 00 |
| 13-14 ft., 2 1/4 in. | Gainless | 2 00 | 16 50 | 150 00 |
| 13-14 ft., 2 1/2 in. | Gainlessness | 2 50 | 22 50 | 200 00 |
| 14-15 ft., 3-4 in. | Gainsay | 3 50 | 30 00 | 250 00 |
| — — schwedleri, 6-8 ft. | Gairish | 50 | | |
| 8-10 ft., 1 1/4 in. | Garishly | 85 | 8 00 | |
| 10-11 ft., 1 1/2 in. | Gait | 1 00 | 9 00 | 85 00 |
| 11-12 ft., 1 3/4 in. | Gaited | 1 50 | 13 50 | 125 00 |
| 12-13 ft., 2 in. | Gaiter | 2 00 | 17 50 | |
| — pseudo platanus, Sycamore , 8-10 ft., 1 1/4 in. | Gala | 55 | 5 00 | |
| 10-11 ft., 1 1/2 in. | Galage | 75 | 6 50 | |
| 11-12 ft., 1 3/4 in. | Galations | 1 25 | 10 00 | |
| 12-13 ft., 2 in. | Galban | 1 65 | 15 00 | |
| 13-14 ft., 2 1/2 in. | Galaxy | 1 75 | | |
| — rubrum, Red or Scarlet Maple , 6- 8 ft. | Gale | 50 | | |
| 8-10 ft., 1 1/4 in. | Galeas | 80 | 7 50 | |
| 10-12 ft., 1 1/2 in. | Galeate | 90 | 8 50 | 80 00 |
| 12-13 ft., 1 3/4 in. | Galeated | 1 25 | 12 00 | |
| 13-14 ft., 2 in. | Galena | 1 60 | 15 00 | |
| 13-14 ft., 2 1/4 in. | Galenical | 1 85 | 17 50 | |
| 14-15 ft., 2 1/2 in. | Galenic | 2 00 | | |
| — saccharinum, Sugar Maple , 8-10 ft. | Galilean | 50 | 4 50 | 40 00 |
| 10-12 ft., 1 1/4 in. | Galilee | 70 | 6 50 | 50 00 |
| 11-13 ft., 1 1/2 in. | Galiot | 1 00 | 9 00 | 70 00 |
| 12-14 in., 1 3/4 ft. | Galipot | 1 35 | 12 50 | 100 00 |
| 13-15 ft., 2 in. | Gall | 1 65 | 15 50 | 150 00 |
| 13-15 ft., 2 1/4 in. | Gally | 1 75 | 16 50 | |
| 14-16 ft., 2 1/2 in. | Gallstone | 2 50 | 22 50 | |
| 14-16 ft., 3 in. | Gallant | 3 00 | 27 50 | |

| | Tel Code | Each | Per 10 | Per 100 |
|---|---------------|-------|---------|---------|
| ACER —Continued | | | | |
| — <i>spicatum</i> , 3-5 ft. | Gallanted . | \$ 45 | \$ 4 00 | |
| — <i>striatum</i> , 6-8 ft. | Gallanting . | 75 | | |
| — <i>tartaricum Rubrum</i> , (see Shrubs). | | | | |
| — <i>ginnala</i> , (see Shrubs). | | | | |
| — <i>japonicum</i> , (Japan Maple), see Shrubs. | | | | |
| AESCHLUS — <i>glabra</i> , 8-10 ft., 2 in . | Galvanize . | 1 0 | | |
| — hippoc. Horsechestnut , 6- 8 ft., 1½ in . | Galvanized . | 65 | 6 50 | \$50 00 |
| 8-10 ft., 1½ in . | Galvanizing . | 75 | 7 00 | 65 00 |
| 8-10 ft., 1¾ in . | Galvanism . | 90 | 8 50 | 80 00 |
| 10-12 ft., 2 in . | Gambet . | 1 20 | 11 00 | 100 00 |
| 10-12 ft., 2¼ in . | Gambison . | 1 65 | 15 00 | 125 00 |
| 10-12 ft., 2½-3 in . | Gambler . | 2 00 | 17 50 | |
| 10-12 ft., 3 in . | Gamble . | 3 00 | | |
| — — <i>rubicunda</i> , Red Horsechestnut, 8-10 ft., 1½ in . | Gambling . | 1 25 | 10 00 | |
| 9-10 ft., 1½-2 in . | Gameful . | 1 60 | 15 00 | |
| 10-12 ft., 2-2½ in . | Gameless . | 2 00 | 17 50 | |
| — — <i>alba</i> fl. pl., Dbl. White Flg., 8-10 ft., 1½ in . | Gamester . | 1 50 | | |
| 10-12 ft., 2 in . | Gaming . | 1 75 | | |
| — (Pavia) <i>macrostachia</i> , 18-24 in . | Gammer . | 30 | 2 25 | 25 00 |
| 2-3 ft . | Gamert . | 45 | 4 25 | 40 00 |
| AILANTHUS — <i>glandulosa</i> , 8-10 ft . | Gammed . | 50 | 4 50 | |
| 10-12 ft . | Gamut . | 70 | 6 50 | |
| AMYGDALUS —flowering peach, red and white, 3-4 ft . | Gan . | 20 | 1 90 | 18 00 |
| 4-5 ft . | Ganch . | 25 | 2 25 | |
| 5-6 ft . | Ganching . | 35 | 3 00 | |
| ANDROMEDA —(See Shrubs). | | | | |
| ARALIA —(See Shrubs). | | | | |
| BETULA — <i>alba</i> , European Wh. Birch, 4- 6 ft . | Gang . | 30 | 2 50 | |
| 6- 8 ft . | Gangrene . | 35 | | |
| 8-10 ft . | Gangrening . | 50 | 4 50 | |
| 10-12 ft . | Gangway . | 70 | 6 50 | |
| — — <i>laciniata</i> , Weep. Cut Lf. Birch, 4- 6 ft . | Gannet . | 40 | 3 50 | 30 00 |
| 6- 8 ft . | Ganoid . | 55 | 5 00 | 45 00 |
| 8-10 ft . | Gantlet . | 85 | 8 00 | 75 00 |
| 10-12 ft . | Gantlope . | 1 00 | 9 00 | |
| — — pend. Youngii, (Weeping), 5-6 ft., branched low . | Gap . | 60 | 5 50 | |
| 6-7 ft., " " | Gape . | 75 | 7 00 | |
| — — <i>purpurea</i> , purple leaved 8-10 ft . | Gaper . | 75 | | |
| 10-12 ft . | Gaping . | 1 00 | | |
| — — <i>pyramidalis</i> , 4-5 ft . | Gapped . | 30 | | |
| — <i>lenta</i> , Sweet Birch, 4-6 ft . | Garbler . | 35 | 3 00 | 25 00 |
| 6-8 ft . | Garbage . | 45 | 4 00 | |
| — <i>lutea</i> , Yellow Birch, 4-5 ft . | Garbed . | 35 | 3 00 | |
| 5-7 ft . | Garble . | 40 | 3 50 | |
| — <i>papyracea</i> , Canoe Paper Birch, 4- 6 ft . | Garbled . | 35 | 3 00 | 25 00 |
| 6- 8 ft . | Garbles . | 50 | 4 50 | 35 00 |
| 8-10 ft . | Garbling . | 60 | 5 50 | 50 00 |
| 10-12 ft . | Garboard . | 70 | 6 50 | |
| 12-14 ft . | Gargling . | 1 00 | | |
| — <i>populifolia</i> , 6- 8 ft . | Garlock . | 40 | 3 50 | |
| 8-10 ft . | Garden . | 50 | 4 50 | |
| 10-12 ft . | Gard . | 60 | 5 50 | |
| BROUSSONATIA — <i>papyrafera</i> , 4-5 ft . | Gardening . | 35 | 3 00 | |
| CARPINUS — <i>americana</i> , 2-3 ft . | Gardener . | 20 | 1 80 | 12 00 |
| 3-4 ft . | Gardenless . | 25 | 2 25 | 20 00 |
| 4-5 ft . | Gargle . | 35 | 3 00 | |
| CARAGANA PENDULA —5-8 ft . | Gargled . | 75 | | |
| CATALPA BUNGEI —Umbrella Catalpa, | | | | |
| — Med. Heads, 1¼ in. stems | grafted on | 65 | 6 00 | 50 00 |
| — First class Heads, 1½ in. stems | smooth | 70 | 6 50 | 60 00 |
| — Extra large Heads, 1¾ in. stems | straight | 1 00 | 9 00 | 75 00 |
| — Extra large Heads, 2 in. stems | stems | 1 25 | 12 00 | 90 00 |
| — Extra large Heads, 2½ in. stems | Gar . | 1 50 | 13 50 | |
| — speciosa, Western Catalpa, 6- 8 ft . | Garment . | 20 | 1 50 | |
| 8-10 ft . | Garner . | 35 | | |
| 10-12 ft . | Garner . | 50 | | |
| CELTIS — <i>occidentalis</i> , (see Shrubs). | | | | |
| CEPHALANTHUS —(See Shrubs). | | | | |

| | Tel. Code | Each | Per 10 | Per 100 |
|--|------------------|-------------|---------|---------|
| CERASUS —jap. rosea pend., Weep. Jap. Cherry, | | | | |
| 3-4 ft. | Garret . . . | \$ 65 | \$ 6 00 | |
| 4-5 ft. | Garreted . . . | 75 | | |
| 5-7 ft. | Garrison . . . | 1 00 | | |
| — serotina, 8-10 ft. | Garter . . . | 50 | 4 00 | |
| 10-14 ft., 2-3 in. | Gartered . . . | 60 | 5 00 | |
| — sinensis fl. pl., Chinese Dbl. Flg., 3-4 ft. | Garth . . . | 75 | | |
| 4-6 ft. | Gas . . . | 1 00 | | |
| — — J. H. Veitch, 3 ft. | Gasconade . . . | 75 | | |
| 4 ft. | Gasconader . . . | 1 00 | | |
| CERCIDIPHYLLIUM —jap. katsura, 3-4 ft. | Gascon . . . | 40 | 3 50 | \$30 00 |
| 4-6 ft. | Gash . . . | 50 | 4 50 | 40 00 |
| 6-8 ft. | Gashed . . . | 65 | 6 00 | |
| 8-10 ft. | Gashing . . . | 75 | | |
| CERCIS —Judas Tree. (See Shrubs). | | | | |
| CLADRASTIS —virgilia, Yel. Wood, 2-3 ft. | Gashful . . . | 30 | | |
| 3-4 ft. | Gaskin . . . | 45 | | |
| 4-5 ft. | Gasify . . . | 55 | 5 00 | |
| CORNUS — | | | | |
| — florida, Wh. Flowering Dogwood, 2-3 ft. | Gasket . . . | 30 | 2 50 | |
| 3-4 ft. | Gaslight . . . | 35 | 3 25 | 30 00 |
| 4-5 ft. | Gasp . . . | 50 | 4 50 | 40 00 |
| 5-6 ft. | Gasped . . . | 60 | 5 50 | 50 00 |
| 6-8 ft. | Gasping . . . | 80 | 7 50 | 70 00 |
| 8-10 ft. | Gassy . . . | 1 00 | | |
| 10-12 ft. | Gast . . . | 1 25 | | |
| — — pendula, Weeping Dogwood, 2-3 ft. | Gastness . . . | 50 | 4 50 | |
| 3-4 ft. | Gastric . . . | 75 | 7 00 | |
| — — rubra, Red Flg. Dogwood, 2-2½ ft. | Gat . . . | 50 | 4 50 | |
| 2½-3 ft. | Gate . . . | 65 | 6 00 | |
| 3 -4 ft. | Gated . . . | 85 | 8 00 | 75 00 |
| 4 -5 ft. | Gateless . . . | 1 25 | | |
| 5 -6 ft. | Gateway . . . | 1 50 | | |
| CRATAEGUS —Thorn | | | | |
| — coccinea, 2-3 ft. | Gathering . . . | 25 | 2 25 | 20 00 |
| 5-6 ft. | Gaud . . . | 35 | 3 00 | 25 00 |
| — cordata, 3-4 ft. | Gaudery . . . | 35 | | |
| 5-6 ft. | Gaudful . . . | 50 | | |
| — crus galli, Cockspur Thorn, 2-3 ft. | Gaudiness . . . | 25 | 2 25 | 20 00 |
| 3-4 ft. | Gaudless . . . | 30 | 2 75 | 25 00 |
| 4-5 ft. | Gaudy . . . | 45 | 4 00 | 35 00 |
| 5-6 ft. | Gauged . . . | 50 | 4 50 | |
| — oxyacantha, pink, red and white, 3-4 ft. | Gauge . . . | 25 | 2 25 | 20 00 |
| 4-5 ft. | Gauger . . . | 35 | 3 00 | 25 00 |
| 5-6 ft. | Gauging . . . | 40 | 3 50 | 32 50 |
| 6-8 ft. | Gaugeable . . . | 50 | 4 50 | |
| CYTISSUS —laburnum, Golden Chain, 3-4 ft. | Gaul . . . | 30 | 2 50 | |
| 4-6 ft. | Gaulish . . . | 35 | 3 00 | |
| 5-7 ft. | Gauntlet . . . | 45 | 4 00 | |
| DYOSPYRUS —virginiana, Persimmon, 3-4 ft. | Gaunt . . . | 25 | 2 00 | |
| 4-6 ft. | Gauntly . . . | 35 | 2 50 | |
| EUONYMUS —(See Shrubs). | | | | |
| FAGUS —ferruginea, American Beech, 3-4 ft. | Gavel . . . | 60 | 5 00 | |
| 4-6 ft. | Gavilian . . . | 1 00 | | |
| — sylvatica, English Beech, 3-4 ft. | Gawk . . . | 30 | 2 50 | |
| 4-6 ft. | Gawky . . . | 60 | 5 00 | |
| 6-7 ft. | Gawn . . . | 1 00 | | |
| — — asplenifolia, Cut Leaved Beech, | 2-3 ft. | Gay . . . | 50 | |
| — — heterophylla, Fern Lvd. Beech, | 3-4 ft. | Gayly . . . | 75 | |
| 4-5 ft. | Gayety . . . | 90 | | |
| — — pendula, Weeping Beech, 3-4 ft. | Gaze . . . | 55 | 5 00 | |
| 4-6 ft. | Gazeful . . . | 80 | 7 00 | |
| 6-8 ft. | Gazel . . . | 1 25 | 10 00 | |
| 8-10 ft. | Gazer . . . | 1 50 | 13 00 | |
| — — purpurea, Purple Copper-Leaved Beech, | | | | |
| 4-6 ft. | Gear . . . | 60 | 5 50 | 45 00 |
| 6-7 ft. | Geared . . . | 85 | 8 00 | 75 00 |
| 8-10 ft. | Gearing . . . | 1 00 | 9 00 | |

| | | Tel. Code | Each | Per 10 | Per 100 |
|---|-------------------|-----------|--------|---------|---------|
| FAGUS —Continued | | | | | |
| — pendula, Weeping Purple-Leaved Beech, | | | | | |
| 3-4 ft. | Gee | \$1 00 | \$9 00 | | |
| 5-6 ft. | Geese | 1 50 | | | |
| — riversi, River's Purple-Leaved Beech, | | | | | |
| 3-4 ft. | Gelatin | 60 | 5 00 | | |
| 4-6 ft. | Gelatinate | 90 | 8 50 | | |
| 6-7 ft. | Geld | 1 25 | 10 00 | | |
| — tricolor, 3-4 ft. | Gelded | 75 | | | |
| FRAXINUS —americana, White Ash, 8-10 ft. | Gelding | 30 | 2 50 | | |
| 8-10 ft., 1½ in. | Gelid | 45 | 4 00 | | |
| 10-12 ft., 1½ in. | Gelidity | 60 | 5 50 | | |
| 10-12 ft., 1¾ in. | Gelidness | 80 | 7 50 | | |
| 12 ft., 2 in. | Gelidly | 1 00 | 9 00 | | |
| 12-14 ft., 2¼ in. | Gelt | 1 15 | | | |
| 12-14 ft., 2½ in. | Gemmy | 1 25 | | | |
| — quadrangulata, 5-7 ft. | Gem | 30 | | | |
| — viridis, 6-8 ft. | Gemaric | 30 | | | |
| GLEBITSCHIA —Honey Locust, 6-7 ft. | Geminate | 30 | | | |
| GYMNOCLADUS —Ky. Coffee Tree, 3-4 ft. | Gemination | 25 | | | |
| HALESIA tetraptera—Silver Bell, 2-3 ft. | Gemmata | 18 | 1 60 | \$15 00 | |
| 3-4 ft. | Gemmmed | 25 | 2 25 | 20 00 | |
| 4-6 ft. | Gemel | 35 | 3 00 | 25 00 | |
| KOELREUTERIA —paniculata, 3-4 ft. | Gender | 25 | | | |
| 4-6 ft. | Genealogist | 35 | | | |
| LARIX —Europaea Larch, 3-4 ft. | Genealogy | 25 | 2 20 | | |
| 4-6 ft. | Generable | 35 | 3 00 | | |
| 6-8 ft. | General | 50 | 4 00 | | |
| 8-10 ft. | Generality | 70 | | | |
| 10-12 ft. | Generally | 1 00 | 9 00 | | |
| — leptolepis, Japan Larch, 3-4 ft. | Generated | 45 | 4 00 | | |
| 4-6 ft. | Generating | 55 | 5 00 | | |
| 10-12 ft. | Generation | 1 10 | | | |
| 12-14 ft. | Generate | 1 50 | | | |
| LUIDAMBAR —styrac., Sweet Gum, 4-6 ft., stocky | Generous | 50 | 4 50 | | |
| 6-8 ft., " | Generously | 65 | 6 00 | | |
| 8-10 ft., " | Generosity | 80 | | | |
| LIRIODENDRON —tulipifera, Tulip Tree, | Genesis | 40 | 3 50 | 30 00 | |
| 8-10 ft. | Genial | 65 | 6 00 | | |
| 10-12 ft. | Genially | 75 | | | |
| 12-14 ft. | Genius | 1 00 | | | |
| 2½-3 in. | Gent | 1 50 | | | |
| MAGNOLIA —acuminata, 4-6 ft. | Genteel | 40 | 3 50 | | |
| 6-8 ft. | Gentile | 60 | 5 50 | | |
| 8-10 ft. | Gentility | 75 | | | |
| 10-12 ft. | Gentle | 1 00 | | | |
| — alba superba, 3-4 ft., with ball | Genuine | 85 | 8 00 | | |
| 4-6 ft., " | Genus | 1 25 | 11 50 | | |
| — conspicua, 2-3 ft. | Genuinely | 1 00 | | | |
| — glauca, 2-3 ft. | Geographic | 65 | | | |
| — hypoleuca, 2-3 ft. | Geology | 1 75 | | | |
| — kobus, 2-3 ft. | Geometer | 65 | | | |
| 4-5 ft. | Geometrize | 1 00 | | | |
| — lennei, 3-4 ft. | Geometry | 80 | 7 50 | | |
| 4-5 ft. | Germ | 1 25 | 11 00 | | |
| 5-6 ft. | German | 1 50 | 12 50 | | |
| 6-7 ft. | Germinal | 2 00 | | | |
| — parviflora, 2-3 ft. | Germinate | 2 00 | | | |
| — soulangeana, 2-3 ft. | Gest | 60 | 5 50 | | |
| 3-4 ft. | Gestic | 85 | 8 00 | | |
| 4-5 ft. | Gestor | 1 20 | 11 00 | | |
| 5-6 ft. | Gesture | 1 50 | 12 50 | | |
| 6-7 ft. | Gesturing | 2 00 | | | |
| — stellata, Halleana, 2-2½ ft., with ball | Get | 90 | 8 00 | | |
| 2½-3 ft., " | Getter | 1 25 | 10 00 | | |
| 3-4 ft., " | Getting | 1 60 | | | |
| 4-5 ft., " | Gets | 2 00 | | | |
| — tripetala, 3-4 ft. | Ghastful | 35 | 3 00 | | |
| 4-6 ft. | Ghastfully | 60 | | | |

| | Tel. Code | Each | Per 10 | Per 100 | |
|--|----------------------------|---------------------|---------|---------|--------|
| MAGNOLIA —tripetala, 6-8 ft | Ghast | \$ 75 | | | |
| 10-12 ft. | Ghastly | 1 50 | | | |
| MORUS —tatarica pendula, Teas Weeping Mulberry, | | | | | |
| Medium Heads | Ghastness | 60 | \$ 5 50 | \$50 00 | |
| 1st class Heads. | Ghastliness | 75 | 7 00 | 65 00 | |
| Extra Heads. | Ghant | 85 | 8 00 | 75 00 | |
| Double Extra Heads. | Ghost | 1 25 | 11 00 | 100 00 | |
| MALUS — <i>iensis</i> , Bechtel's Dbl.Flg. Crab, 2-3 ft | Ghostless | 30* | 2 70 | 25 00 | |
| 3-4 ft. | Ghostlike | 40 | 3 75 | 35 00 | |
| 4-5 ft. | Ghostly | 54 | 4 25 | 40 00 | |
| — floribunda, 2-3 ft. | Ghostliness | 25 | 2 00 | | |
| 3-4 ft. | Giant. | 35 | 3 00 | | |
| 4-5 ft. | Giantlike | 40 | 3 50 | | |
| — — atro-purpureum, 3-4 ft. | Ghostful | 30 | | | |
| — parkmanii, 2-3 ft | Gib | 35 | 3 00 | 25 00 | |
| 3-4 ft. | Gibbet | 45 | 4 00 | | |
| — scheideckeri, 3-4 ft. | Gibbeting | 35 | | | |
| 4-5 ft. | Gibbeted. | 45 | 4 00 | | |
| PAULOWNIA —imperialis, 3- 4 ft. | Gibe | 35 | | | |
| 6- 7 ft. | Giber | 60 | | | |
| 10-12 ft. | Gibing | 85 | 8 00 | | |
| — — — | { 8-10 ft. | Giblet | 45 | 4 00 | 35 00 |
| PLATANUS— | { 8-10 ft., 1½ in. | Giblets | 60 | 5 00 | 40 00 |
| — occidentalis, Am. Plane, | 10-11 ft., 1½ in. | Giddily | 80 | 7 00 | 60 00 |
| — orientalis, Oriental Plane, | 11-12 ft., 1¾ in. | Giddy | 1 20 | 11 50 | 90 00 |
| | 12-13 ft., 2 in. | Giddiness | 1 50 | 14 00 | 125 00 |
| | 12-13 ft., 2¼ in. | Giggler | 1 75 | 16 50 | |
| | 12-14 ft., 2½ in. | Gig | 2 00 | | |
| POPULUS —alba | | | | | |
| — — canescens, Green Leaf Poplar, 8-10 ft., 1¼ in. | Giggle | 40 | 3 00 | 25 00 | |
| 10-12 ft., 1½ in. | Giggling | 55 | 4 50 | 35 00 | |
| 11-12 ft., 1¾ in. | Gild | 65 | 6 00 | 50 00 | |
| 12-14 ft., 2 in. | Gilded | 80 | 7 50 | 70 00 | |
| 12-14 ft., 2¼ in. | Gilding | 1 00 | 9 00 | | |
| 12-16 ft., 2½ in. | Gilder | 1 25 | 11 50 | | |
| — — bolleana, Pyramidal, | Gim | 35 | 3 00 | 20 00 | |
| 10-12 ft., 1½ in. | Gimal | 45 | 4 00 | 30 00 | |
| 12-14 ft., 1¾ in. | Gimlet | 55 | 5 00 | 45 00 | |
| 12-14 ft., 2 in. | Gimp | 90 | 7 50 | | |
| — balsamifera, Balsam Pop., | Gin | 25 | | | |
| 8-10 ft., 1¼ in. | Ginger | 45 | | | |
| 10-12 ft., 1¾ in. | Gingerly | 50 | | | |
| 10-12 ft., 2 in. | Gingle | 75 | | | |
| 8-10 ft. | Giraffe | 25 | 2 00 | 15 00 | |
| — fastigiata, Lombardy Poplar, Low branched straight leaders | | | | | |
| 10-12 ft., 1¼ in. | Gird | 35 | 3 00 | 25 00 | |
| 11-13 ft., 1½ in. | Girded | 50 | 4 00 | 35 00 | |
| 12-14 ft., 1¾ in. | Girder | 65 | 6 00 | 55 00 | |
| 13-15 ft., 2 in. | Girding | 1 00 | 9 00 | 80 00 | |
| 14-16 ft., 2¼ in. | Girdle | 1 10 | 10 00 | | |
| — monilifera, Carolina Pop., | Girlhood | 30 | 2 50 | 15 00 | |
| 9-10 ft., 1¼ in. | Girlish | 40 | 3 50 | 25 00 | |
| 11-12 ft., 1½ in. | Girt | 50 | 4 50 | 35 00 | |
| 12-13 ft., 1¾ in. | Girth | 60 | 5 00 | 40 00 | |
| 14-15 ft., 2¼ in. | Girted | 75 | 7 00 | 60 00 | |
| 14-15 ft., 2½ in. | Give | 1 00 | 9 00 | 75 00 | |
| 14-16 ft., 3 in. | Given | 1 50 | 12 50 | | |
| 14-16 ft., 3½ in. | Giver | 1 75 | | | |
| — norway, 4-6 ft. | Glad | 20 | | 1 50 | |
| — — Van Geertii, Gldn. Lf. Pop., 6-8 ft. | Gladden | 20 | | | |
| | 8-10 ft., 1¼ in. | Glade | 25 | | |
| PRUNUS —(See Shrubs). | | | | | |
| PTELIA —trifoliata, Hop Tree, { 3-4 ft. | Gladness | 25 | 1 50 | | |
| — aurea, Golden Hop Tree, { 4-6 ft. | Gladsome | 35 | | | |
| PYRUS —aucuparia. (See Sorbus). | | | | | |
| QUERCUS —alba, White Oak, 5-6 ft | Glaze | 75 | | | |
| — bicolor, Swamp White Oak, 6- 8 ft | Glazed | 80 | | | |
| 8-10 ft | Glazened | 1 00 | | | |
| — cerris, Turkey Oak, 12-14 ft., 2¼ in. | Glazing | 2 00 | | | |
| — coccinea, Scarlet Oak, 8 ft., 1¼ in. | Gleam | 1 15 | 10 00 | | |
| 8-10 ft., 1½ in. | Gleamy | 1 35 | 12 50 | | |

| QUERCUS —Continued | | Tel. Code | Each | Per 10 | Per 100 |
|--|----------------------|-----------|---------|---------|---------|
| — <i>coccinea</i> , Scarlet Oak, 10-12 ft., 1½ in. | Gleaming | \$1 60 | \$15 00 | | |
| 12-14 ft., 2½ in. | Glen | 2 00 | | | |
| — <i>imbricaria</i> , 4-6 ft. | Gleet | 35 | | | |
| — <i>macrocarpa</i> , 4-5 ft. | Gleaner | 55 | | | |
| 6-8 ft. | Gleaning | 75 | | | |
| — <i>Palustris</i> , Pin Oak, 8 ft., 1¼ in. | Glee | 85 | 9 00 | | |
| 8-10 ft., 1½ in. | Gleeful | 1 20 | 11 50 | | |
| 8-10 ft., 1¾ in. | Glib | 1 45 | 14 00 | | |
| 10-12 ft., 2 in. | Gibly | 1 65 | 16 00 | | |
| 12 ft., 2¼ in. | Glibness | 1 75 | 16 50 | | |
| 12-13 ft., 2½ in. | Glide | 2 25 | 20 00 | | |
| 12-14 ft., 3 in. | Glider | 2 50 | 22 50 | | |
| — <i>ped. fastigiata</i> , Pyramidal Oak, 4-6 ft. | Gliding | 75 | | | |
| 6-8 ft. | Glimmering | 1 00 | 9 00 | | |
| — <i>prinus</i> , Michauxii, Chestnut Oak, 8-10 ft., 1½ in. | Glim | 75 | | | |
| 8-10 ft., 1½ in. | Glimmer | 1 25 | 11 50 | | |
| 9-11 ft., 1¾ in. | Glimmered | 1 50 | 13 50 | | |
| 10-12 ft., 2-2½ in. | Glimpse | 2 00 | 17 50 | | |
| — <i>robur</i> , ped. <i>concordia</i> , Golden Oak, 4-6 ft. | Glisten | 1 00 | | | |
| — <i>rubra</i> , Red Oak, 8 ft., 1¼ in. | Glistening | 1 00 | 9 00 | | |
| 8-10 ft., 1½ in. | Glitter | \$1 25 | | | |
| 8-10 ft., 1¾ in. | Gloam | 1 50 | | | |
| 10-12 ft., 2 in. | Gloaming | 2 00 | | | |
| 12 ft., 2½ in. | Gloat | 2 50 | | | |
| — <i>tinctoria</i> , 2-3 ft. | Globe | 45 | 4 00 | | |
| RHAMNUS — <i>catharticus</i> . (See Shrubs). | | | | | |
| RHUS — <i>cotinus</i> , Purp. Mist or Fringe, (See Shrubs). | | | | | |
| SALISBURIA — | | | | | |
| — <i>adiantifolia</i> , Ginko, Maiden Hair 6-8 ft. | Gloried | 40 | 3 50 | | |
| Tree, 8-10 ft., 1¼ in. | Glorified | 65 | 6 00 | | |
| 10-12 ft., 1½ in. | Glorify | 1 00 | | | |
| 10-12 ft., 1¾ in. | Glorying | 1 50 | | | |
| 10-12 ft., 2 in. | Glory | 2 00 | | | |
| SALIX — <i>annularis</i> , 4-6 ft. | Glorious | 25 | 2 00 | | |
| — <i>babylonica</i> , Weep. Willow, 6-8 ft. | Gloss | 35 | 2 50 | \$15 00 | |
| 8-10 ft. | Glossy | 45 | 3 50 | 25 00 | |
| 10-12 ft. | Glow | 55 | 4 50 | 40 00 | |
| 10-12 ft., 2 in. | Glowed | 75 | 6 50 | 60 00 | |
| 12-14 ft., 2¼ in. | Glowingly | 1 00 | 9 00 | | |
| 12-14 ft., 2½ in. | Glowing | 1 25 | 11 50 | | |
| — <i>pentandra</i> , Laurel Leaf Willow, 4-5 ft. | Glue | 15 | 1 25 | 10 00 | |
| 5-6 ft. | Glued | 18 | 1 50 | 12 00 | |
| 6-8 ft. | Gluing | 20 | 1 75 | 15 00 | |
| 8-10 ft. | Glum | 35 | | | |
| 10-12 ft. | Glummy | 50 | | | |
| — <i>rosmarinifolia</i> , bush, 2-3 ft. | Glutton | 15 | 1 20 | | |
| 3-4 ft. | Glutted | 20 | 1 80 | 15 00 | |
| — <i>solomoni</i> , Solomon's Weeping, 6-8 ft. | Go | 25 | 2 25 | 20 00 | |
| 8-10 ft. | Goad | 30 | 2 50 | | |
| 10-12 ft. | Goaded | 45 | 4 00 | | |
| — <i>thurlow</i> , Weeping Willow, 6-8 ft. | Goading | 25 | 2 00 | 15 00 | |
| 8-10 ft. | Goal | 35 | 3 00 | 25 00 | |
| 10-12 ft. | Goat | 40 | 3 50 | | |
| — <i>vitellina aurea</i> , Golden Bark Willow, 3-4 ft. | Goddess | 20 | 1 50 | 10 00 | |
| 4-6 ft. | Godlike | 25 | 1 75 | 15 00 | |
| 6-8 ft. | Godly | 30 | 2 50 | | |
| 8-10 ft. | Godless | 40 | 3 50 | | |
| SOPHORA — <i>japonica</i> , 3-4 ft. | Gold | 35 | 3 00 | | |
| 4-5 ft. | Golden | 55 | 5 00 | | |
| SORBUS — <i>aucuparia</i> , Eng. Mt. Ash, 6-8 ft. | Goldsmith | 30 | 2 75 | 25 00 | |
| 8-10 ft. | Golf | 45 | 4 00 | | |
| 10-12 ft. | Gored | 55 | 5 00 | | |
| 10-12 ft., 2 in. | Gorer | 75 | | | |
| — pendula, Weep. Mt. Ash, on 6 ft. stems, 2 yr. | Gorge | 45 | | | |
| — <i>quercifolia</i> , Oak Leaf Mt. Ash, 6-8 ft. | Gorgeous | 25 | | | |
| 8-10 ft. | Goring | 45 | | | |
| SYRINGA —Pendula, Weeping Lilac, 5-6 ft. | Gormandize | 1 00 | | | |
| TILIA — <i>americana</i> , Am. Linden, 8-9 ft., 1¼ in. | Gospel | 55 | 4 50 | | |

| | Tel. Code | Each | Per 10 | Per 100 |
|--|----------------------|-------|---------|---------|
| TILIA — <i>americana</i> , Am. Linden, 9–10 ft., 1½ in. | Gossip | \$ 75 | \$ 6 50 | \$60 00 |
| 10–11 ft., 1¾ in. | Gossiping | 1 05 | 9 50 | 85 00 |
| 11–12 ft., 2 in. | Govern | 1 35 | 12 50 | 100 00 |
| 11–12 ft., 2¼ in. | Governing | 1 50 | 12 50 | |
| 12–13 ft., 2½ in. | Governed | 1 75 | 15 00 | |
| 13–14 ft., 3 in. | Governess | 2 00 | | |
| — <i>dasytyla</i> , 8–10 ft., 1½ in. | Grace | 1 00 | | |
| 10–12 ft., 2½–3 in. | Graceful | 3 00 | | |
| — <i>europea</i> , <i>vulgaris</i> , European Linden, 8–9 ft., 1¼ in. | Graceless | 65 | 6 00 | 55 00 |
| 9–10 ft., 1½ in. | Graces | 85 | 8 00 | 75 00 |
| 10–11 ft., 1¾ in. | Gracious | 1 10 | 10 00 | 100 00 |
| 11–12 ft., 2 in. | Grade | 1 60 | 15 00 | 145 00 |
| 11–12 ft., 2¼ in. | Grading | 1 65 | 16 00 | |
| 12–13 ft., 2½ in. | Grader | 2 25 | 20 00 | |
| 13–14 ft., 3 in. | Graded | 2 50 | | |
| 13–14 ft., 3½ in. | Gradual | 3 00 | | |
| — — <i>plataphylla</i> , Europ. Large Leaved Linden, | | | | |
| 8–9 ft., 1¼ in | Graduate | 55 | 4 50 | 40 00 |
| 9–10 ft., 1½ in | Graduated | 75 | 6 50 | 60 00 |
| 10–11 ft., 1¾ in | Graduation | 1 10 | 9 50 | 85 00 |
| 11–12 ft., 2 in | Grand | 1 35 | 12 50 | 100 00 |
| 11–12 ft., 2¼ in | Grandness | 1 50 | 13 50 | |
| 12–13 ft., 2½ in | Grandeur | 1 75 | 15 00 | |
| 13–14 ft., 3 in | Grandly | 2 00 | 17 50 | |
| 13–14 ft., 3½ in | Granite | 2 50 | 22 50 | |
| — — <i>alba argentea</i> , Silver Lf. Linden, 6–8 ft. | Grant | 65 | 6 00 | |
| 8–10 ft., 1½ in | Granting | 1 10 | 10 00 | |
| 10–12 ft., 1¾ in | Granted | 1 35 | | |
| 10–12 ft., 2 in | Grasp | 1 75 | | |
| 12–13 ft., 2½ in | Grasper | 2 50 | | |
| 12–14 ft., 3 in | Grasped | 3 00 | 27 50 | |
| 12–14 ft., 3½ in | Grasping | 3 50 | 30 00 | |
| 12–14 ft., 4 in | Graspingly | 4 00 | 35 00 | |
| 3 in | Grass | 2 50 | | |
| — — — <i>spectabilis tomentosa</i> , 6–8 ft. | Grassy | 75 | | |
| 8–10 ft. | Grating | 1 00 | | |
| ULMUS — <i>americana</i> , American Elm, 8–10 ft., 1¼ in. | Grate | 40 | 3 50 | 30 00 |
| 9–11 ft., 1½ in | Grateful | 60 | 5 00 | 40 00 |
| 10–12 ft., 1¾ in | Groan | 80 | 7 50 | 65 00 |
| 11–13 ft., 2 in | Groaned | 1 15 | 10 00 | 85 00 |
| 11–13 ft., 2¼ in | Groaning | 1 25 | 11 50 | 100 00 |
| 12–14 ft., 2½ in | Grocer | 1 50 | 14 00 | 130 00 |
| 3 in | Grocery | 2 00 | 17 50 | |
| — <i>montana</i> , Scotch Elm, 8–10 ft., 1½ in | Groom | 45 | 4 00 | |
| 9–11 ft., 1½ in | Grope | 65 | 6 00 | |
| 10–12 ft., 1¾ in | Ground | 85 | 8 00 | |
| 10–12 ft., 2 in | Grove | 1 15 | 10 00 | |
| 11–13 ft., 2¼ in | Grow | 1 30 | 12 00 | |
| 11–13 ft., 2½ in | Growl | 1 55 | 15 00 | |
| — — <i>camperdown</i> , Weeping Elm, 1 yr. Hds. | Guard | 45 | | |
| 2 yr. Hds. | Guardian | 65 | | |

VIRGILIA—(See Cladrastis).

DECIDUOUS SHRUBS

The shrubs we offer are of standard, commercial grade, young and thrifty. They are not crowded in rows to make them grow tall but are given space enough for proper development. This insures a bushy and full plant which far more than height ought to be and indeed is the standard of excellence. Nearly all our shrubs are dug with a tree digger thus insuring good roots and are exactly what we represent them to be in all particulars.

| | Tel. Code | Each | Per 10 | Per 100 |
|---|-------------------|------|--------|---------|
| ABELIA — <i>rupestris</i> , 2 yr., 3 in. pots | Pace | 20 | 1 50 | |
| ACER — <i>tataricum Rubrum</i> , 4–5 ft., low branched | Paced | 30 | | |
| — — <i>ginnala</i> , 3–5 ft., low branched | Pacer | 35 | 3 00 | |
| 5–7 ft., “ | Pacific | 45 | 4 00 | |
| japonicum Aureum , Golden Lvd., 1½–2 ft. | Pacing | 65 | 6 00 | |
| 2–3 ft. | Packed | 75 | 7 00 | |
| 3–4 ft. | Package | 1 25 | 10 00 | |

| | Tel. Code | Each | Per 10 | Per 100 |
|---|-----------------------|-------|--------|---------|
| ACER —Continued | | | | |
| — polymorphum, Green Leaved , 2-3 ft., extra bushy | Pack | \$ 30 | \$2 50 | |
| 3-4 ft., " " | Packet | 55 | 5 00 | \$45 00 |
| 4-5 ft., " " | Pact. | 75 | 7 00 | 65 00 |
| — — atropurpureum, Purple Leaved , 18-24 in | Pactional | 60 | 5 50 | 45 00 |
| 2-2½ ft. | Pad | 80 | 7 00 | 60 00 |
| 2½-3 ft. | Padded | 95 | 8 50 | 75 00 |
| 3 -4 ft. | Padder | 1 50 | 12 50 | 100 00 |
| 4 -5 ft. | Paddy | 2 50 | 20 00 | |
| — — — dissectum, Cut Lf. Purple , 18-24 in | Padding | 85 | 7 50 | 70 00 |
| 2-2½ ft. | Paddle | 1 00 | 9 50 | 90 00 |
| 2½-3 ft. | Paddler | 1 50 | | |
| 3-3½ ft. | Paddling | 2 50 | | |
| — — — dissectum, Cut Leaved Green , 1½-2 ft | Paddock | 75 | | |
| 2 -3 ft. | Padlock | 1 25 | | |
| — — filicifolia, 3-4 ft | Pagan | 1 00 | | |
| AMELANCHIER —botyrapium, 2-3 ft | Paganized | 15 | 1 30 | 12 00 |
| 3-4 ft | Paganizing | 18 | 1 60 | 15 00 |
| AMORPHA —fruticosa, False Indigo , 2-3 ft | Page | 10 | 90 | |
| 3-4 ft | Paging | 12 | 1 10 | 10 00 |
| 4-5 ft | Pages | 18 | 1 50 | |
| AMYGDALUS —Flowering Almond, Pink and White , | | | | |
| 18-24 in | Paged | 18 | 1 50 | |
| 2-3 ft | Pageant | 20 | 1 80 | |
| ANDROMEDA —(See Oxydendron). | | | | |
| — mariana, 18-24 in | Pain | 30 | 2 50 | |
| ARALIA —pentaphylla, 2-3 ft | Painful | 15 | 1 20 | 10 00 |
| 3-4 ft | Paining | 18 | 1 50 | 12 00 |
| — spinosa, 3-4 ft | Painless | 20 | 1 80 | 15 00 |
| 4-5 ft | Paint | 25 | 2 20 | 20 00 |
| 5-6 ft | Painting | 35 | 3 00 | 25 00 |
| 6-8 ft | Pair | 45 | 3 50 | 30 00 |
| ARONIA —arbutifolia nigra, Black Berried , 2-3 ft | Paired | 15 | 1 20 | 10 00 |
| 3-4 ft | Palace | 18 | 1 50 | 12 00 |
| — — rubra, Red Berried , 2-3 ft | Palatial | 20 | 1 80 | 15 00 |
| 3-4 ft | Paler | 18 | 1 60 | |
| AZALEA —arborescens, 12-18 in | Paleness | 35 | 3 00 | 25 00 |
| 1½-2 ft | Pall | 45 | 4 00 | |
| 2-3 ft | Pallid | 60 | | |
| — calendulacea, 12-15 in | Pallidity | 35 | 3 25 | 30 00 |
| 15-18 in | Pallidly | 35 | | |
| 18-24 in | Pallor | 40 | | |
| — kämpferi, 8-12 in., bushy | Palmy | 70 | 6 50 | 60 00 |
| — mollis, Colors Mixed , 12-15 in | Palm | 35 | 3 25 | 30 00 |
| 15-18 in | Palmate | 45 | 4 25 | 40 00 |
| 18-24 in | Palmed | 60 | 5 00 | 45 00 |
| 2 ft | Palmetto | 75 | 6 50 | |
| — mollis, Colors named , 18-24 in | Palming | 50 | 4 50 | |
| 2-3 ft | Palmistry | 75 | | |
| — nudiflora, 15-18 in | Palpitate | 35 | 3 25 | 30 00 |
| 2-3 ft | Palpitation | 50 | 4 50 | |
| — pontica, Ghent , 15-18 in | Palsy | 45 | 4 00 | |
| 18-24 in | Palsying | 55 | 5 00 | |
| 2-2½ ft., yellow | Palter | 60 | | |
| — vaseyi, 12-18 in | Paltry | 40 | 3 50 | 30 00 |
| 18-24 in | Paltriness | 50 | | |
| — viscosa, 12-18 in | Pam | 35 | 3 25 | 30 00 |
| 18-24 in | Pampas | 45 | 4 00 | |
| BACCHARIS —halimifolia, 3-4 ft | Pampering | 18 | 1 50 | |
| 4-5 ft | Pampered | 18 | | |
| BERBERIS —thunbergii, 12-18 in., bushy plants | Pan | 10 | 80 | 6 00 |
| 1½-2 ft., " | Panacea | 12 | 1 00 | 8 00 |
| 1½-2 ft., extra bushy | Panch | 15 | 1 20 | 10 00 |
| 2-2½ ft., bushy plants | Paneling | 20 | 1 75 | 12 00 |
| 2½-3 ft., " | Panel | 25 | | |
| — vulgaris, 1½-2 ft | Panelled | 10 | 80 | |
| 2 -3 ft | Pang | 13 | 1 20 | 10 00 |
| 3 -4 ft | Panicled | 15 | 1 30 | 12 00 |
| — — purpurea, 2-3 ft | Panicle | 12 | 1 00 | 9 00 |

| | Tel. Code | Each | Per 10 | Per 100 | |
|---|-------------------|-------------|--------|---------|-------|
| BERBERIS —Continued | | | | | |
| — purpurea, 3-4 ft. | Pansy . . . | \$ 15 | \$1 30 | \$12 00 | |
| BUDLEYA —intermedia, 2 yr. | Pant . . . | 15 | 1 20 | | |
| — veitchi, 2 yr. | Pantaloons . . . | 18 | 1 50 | | |
| CALLICARPA —purpurea, 2-2½ ft | Panther . . . | 12 | 1 00 | | |
| 2½-3 ft. | Panting . . . | 15 | 1 20 | | |
| CALYCANTHUS —floridus, 2-3 ft. | Pantomine . . . | 13 | 1 20 | 10 00 | |
| 3-4 ft. | Pantry . . . | 18 | 1 50 | 12 00 | |
| 4-5 ft. | Pap . . . | 20 | 1 80 | 15 00 | |
| CARAGANA —arborescens, Siberian Pea Shrub, 2-3 ft. | Papa . . . | 12 | 1 00 | | |
| 4-5 ft. | Papacy . . . | 18 | | | |
| CARYOPTERIS —mastacantha, 1 yr., in pots . . . | Papal . . . | 06 | | | |
| 2 yr., field grown . . . | Papalist . . . | 12 | 90 | 6 00 | |
| CELTIS —occidentalis, 2-3 ft. | Paper . . . | 15 | 1 25 | 12 00 | |
| 3-4 ft. | Papered . . . | 25 | 2 00 | | |
| 4-5 ft. | Papism . . . | 30 | 2 50 | | |
| CEPHALANTHUS —occidentalis, 2-3 ft. | Papist . . . | 15 | 1 30 | 12 00 | |
| 3-4 ft. | Papistic . . . | 18 | 1 50 | | |
| CERCIS —canadensis, American Judas Tree, 2-3 ft. | Papize . . . | 20 | 1 70 | 15 00 | |
| 3-4 ft. | Papistry . . . | 25 | 2 25 | 20 00 | |
| 4-5 ft. | Pappoose . . . | 35 | 3 00 | | |
| 5-6 ft. | Pappy . . . | 40 | 3 50 | 25 00 | |
| — japonica, Japan Judas, 1½-2 ft. | Par . . . | 18 | | | |
| 2-3 ft. | Parable . . . | 25 | 2 00 | | |
| CHIONANTHUS —vir. Wh. Fringe, 2-3 ft. | Paraclete . . . | 20 | 1 50 | | |
| 3-4 ft. | Parade . . . | 30 | 2 50 | 20 00 | |
| 4-5 ft. | Paradise . . . | 35 | 3 00 | | |
| CLETHRA —acuminata, 2-2½ ft. | Paradoxical . . . | 20 | 1 50 | | |
| 3-4 ft. | Paradox . . . | 25 | 2 00 | | |
| — alnifolia, 1½-2 ft. | Paraffine . . . | 12 | 1 10 | 10 00 | |
| 2-2½ ft. | Paragoga . . . | 15 | 1 25 | 12 00 | |
| 2½-3 ft. | Paragon . . . | 18 | 1 50 | | |
| COLTUEA —arborescens, 2-3 ft. | Paragraph . . . | 12 | 1 00 | | |
| 3-4 ft. | Paragram . . . | 15 | 1 20 | | |
| 4-5 ft. | Parallel . . . | 20 | | | |
| CORCHORUS —(See Kerria). | | | | | |
| CORNUS —alba, Red Branched Dogwood, (Stolonifera), | { 2-3 ft . . . | Paralleled | 12 | 1 10 | 9 00 |
| | { 3-4 ft . . . | Paralytical | 15 | 1 30 | 12 00 |
| — — alternifolia, 2-3 ft. | Paralizing . . . | 12 | 1 00 | | |
| 3-4 ft. | Paralysis . . . | 20 | 1 80 | | |
| — — elegantissima, Variegated, 1½-2 ft. | Paralytic . . . | 15 | 1 30 | 12 00 | |
| 2-2½ ft. | Paralyze . . . | 20 | 1 80 | 15 00 | |
| 3 ft. | Paraphrase . . . | 25 | | | |
| — — spathii, Variegated, 18-24 in . . . | Paramount . . . | 15 | 1 20 | | |
| 2-2½ ft. | Paramour . . . | 20 | 1 80 | 15 00 | |
| — kousa, 2-3 ft . . . | | 30 | 2 50 | | |
| — mascula, 3-4 ft . . . | Parasitic . . . | 18 | 1 30 | 12 00 | |
| — paniculata, 2-3 ft. | Parapet . . . | 15 | 1 20 | | |
| 3-4 ft. | Parasite . . . | 20 | 1 50 | | |
| — sericea, Silky, 2-3 ft. | Parasol . . . | 10 | 90 | 8 00 | |
| 3-4 ft. | Parboil . . . | 15 | 1 30 | 10 00 | |
| — siberica, 2-3 ft. | Parcel . . . | 12 | 1 00 | 10 00 | |
| 3-4 ft. | Parceled . . . | 15 | 1 30 | 12 00 | |
| — stolonifera, lutea, Golden Bark, 2-3 ft. | Parched . . . | 15 | 1 20 | 10 00 | |
| 3-4 ft. | Parching . . . | 18 | 1 50 | | |
| CORYLUS —purpurea, Purple Filbert, 1½-2 ft. | Parchment . . . | 15 | 1 20 | | |
| 2-2½ ft. | Pardon . . . | 20 | 1 50 | | |
| 3-4 ft. | Pardonning . . . | 30 | 2 00 | | |
| CRATAEGUS . (See Trees). | | | | | |
| CYDONIA —japonica, Japan Quince, 2-3 ft. | Parentage . . . | 15 | 1 20 | 10 00 | |
| 3-4 ft. | Parental . . . | 20 | | | |
| — — alba, White Japan Quince, 1½-2 ft. | Parentless . . . | 15 | | | |
| 2-2½ ft. | Parer . . . | 20 | 1 80 | | |
| — — Maulei, 18 in . . . | Paregoric . . . | 15 | | | |
| DAPHNE —Mesereum, 12-15 in . . . | Parget . . . | 25 | | | |
| Red and White, 18-24 in . . . | Paring . . . | 35 | | | |
| 2-3 ft . . . | Paris . . . | 50 | | | |
| — Genkwa, 18 in . . . | Pariah . . . | 45 | | | |

| | Tel. Code | Each | Per 10 | Per 100 |
|--|--------------------|-------|---------|---------|
| DESMODIUM —penduliflorum, 2-3 ft. | Parish . . . | \$ 15 | \$ 1 30 | \$12 00 |
| 3-4 ft. | Parisian . . . | 20 | 1 80 | 15 00 |
| DEUTZIA —candidissima, 2-3 ft. | Park . . . | 10 | 90 | 8 00 |
| 3-4 ft. | Parley . . . | 15 | 1 20 | 10 00 |
| 4-5 ft. | Parlor . . . | 20 | 1 80 | 15 00 |
| — crenata fl. pl., 2-3 ft. | Parlous . . . | 12 | 1 00 | 8 00 |
| 3-4 ft. | Parried . . . | 15 | 1 30 | 10 00 |
| — gracilis, 12-18 in., bushy | Parochial . . . | 10 | 90 | 8 00 |
| 18-24 in., " | Parole . . . | 13 | 1 10 | 10 00 |
| 2-2½ ft., " | Parody . . . | 15 | 1 20 | |
| — lemoinei, 1½-2 ft. | Paroled . . . | 10 | 90 | 8 00 |
| 2-2½ ft. | Paroxysm . . . | 12 | 1 10 | 10 00 |
| 2½-3 ft. | Parquet . . . | 15 | | |
| — — parviflora, 18-24 in. | Parquetry . . . | 08 | | |
| 2-3 ft. | Parrot . . . | 10 | | |
| — pride of Rochester, 2-3 ft. | Parse . . . | 10 | 90 | 8 00 |
| 3-4 ft. | Parsing . . . | 15 | 1 20 | 10 00 |
| 4-5 ft. | Parsley . . . | 20 | 1 80 | 15 00 |
| — — Vilmorin (new) . . . | Parson . . . | 1 00 | | |
| DIERVILLA —(See Weigelia). | | | | |
| ELEAGNUS —angustifolia, Rus. Olive, 2-3 ft. | Part . . . | 12 | 1 00 | 8 00 |
| 3-4 ft. | Partable . . . | 18 | 1 50 | 10 00 |
| 4-5 ft. | Partage . . . | 20 | 1 80 | |
| — longipes, 2-3 ft. | Partake . . . | 13 | 1 20 | |
| 3-4 ft. | Partaken . . . | 18 | 1 50 | |
| 4-5 ft. | Parted . . . | 20 | | |
| ENKIATHUS —japonica . . . | Partaker . . . | 75 | | |
| EUONYMUS —alatus, Japan Cork Barked, 1½-2 ft. | Partial . . . | 25 | 2 00 | 15 00 |
| 2-3 ft. | Partialistic . . . | 30 | 2 50 | 20 00 |
| 3-4 ft. | Partialist . . . | 45 | 4 00 | 35 00 |
| 4-5 ft. | Partially . . . | 60 | 5 50 | 45 00 |
| — — bungoides . . . | Partialize . . . | 50 | 4 50 | |
| — americana, 3-4 ft. | Partiality . . . | 25 | | |
| 4-5 ft. | Participant . . . | 40 | 3 50 | |
| — europ. Eng. Strawberry Tree, 3-4 ft. | Participated . . . | 20 | 1 50 | |
| 4-6 ft. | Participate . . . | 25 | 2 00 | 18 00 |
| EXOCHORDA —grandiflora, 2-3 ft. | Particle . . . | 15 | 1 25 | 12 00 |
| 3-4 ft. | Particular . . . | 20 | 1 75 | 15 00 |
| 4-5 ft. | Particularly . . . | 25 | 2 25 | 20 00 |
| FORSYTHIA —fortunei, 2-3 ft. | Parting . . . | 13 | 1 20 | |
| 3-4 ft. | Partisan . . . | 15 | 1 30 | 12 00 |
| — — aurea, 2-3 ft. | Partitive . . . | 10 | 90 | |
| 3-4 ft. | Partlet . . . | 15 | 1 20 | 10 00 |
| — intermedia, 2-3 ft. | Partitioned . . . | 12 | 1 10 | 9 00 |
| 3-4 ft. | Partly . . . | 18 | 1 50 | 10 00 |
| — suspensa, 2-3 ft. | Partner . . . | 15 | 1 20 | 10 00 |
| 3-4 ft. | Partners . . . | 18 | 1 50 | 12 00 |
| 4-5 ft. | Partnership . . . | 25 | 2 20 | 18 00 |
| — viridissima, 2-3 ft. | Parts . . . | 12 | 1 00 | 8 00 |
| 3-4 ft. | Paschal . . . | 15 | 1 20 | 10 00 |
| 4-5 ft. | Pass . . . | 20 | 1 80 | 15 00 |
| FOTHERGILLA —alnifolia . . . | Passing . . . | 20 | | |
| GENISTA —tinctoria, 2 yr . . . | Passable . . . | 15 | 1 20 | |
| — scoparia, 2-3 ft. | Passer . . . | 25 | 2 00 | |
| 3-4 ft. | Passode . . . | 50 | | |
| HALESIA —(See Trees). | | | | |
| HAMAMELIS —virg. Witch-Hazel, 2-3 ft. | Passage . . . | 12 | | |
| 3-4 ft. | Passed . . . | 17 | 1 50 | |
| HIBISCUS —Althea, Single, 18 in . . . | Passably . . . | 08 | | |
| 2-3 ft. | Passading . . . | 10 | | |
| — Dbl. Pink, Purple, Red and White, 2-3 ft. | Possible . . . | 12 | 90 | 8 00 |
| 3-4 ft. | Passion . . . | 15 | 1 20 | 10 00 |
| 4-5 ft. | Passionate . . . | 20 | | |
| — variegated leaved, 2-3 ft. | Passionately . . . | 15 | 1 20 | |
| 3-4 ft. | Passive . . . | 20 | 1 50 | |
| — standard, Tree form, 3-4 ft. | Passively . . . | 35 | 3 00 | 25 00 |
| 4-5 ft. | Passenger . . . | 40 | 3 50 | |
| 5-6 ft. | Passiveness . . . | 45 | 4 00 | |

| | Tel. Code | Each | Per 10 | Per 100 |
|---|-----------------------|-------|---------|---------|
| HIPPOPHAEA —2-2½ ft. | Passover | \$ 15 | | |
| 3-4 ft | Passport | 20 | | |
| HYDRANGEA —arborescens, 3-4 ft | Past | 15 | | |
| — grandiflora alba, (new), 18-24 in | Paste | 18 | \$ 1 50 | |
| 2-3 ft | Pasted | 20 | 1 75 | \$15 00 |
| 3-4 ft | Pastime | 25 | 2 25 | 20 00 |
| — Bretschneideri, from pots | Pastor | 1 00 | | |
| — nivea, 2 ft | Pastorless | 35 | | |
| — paniculata grandiflora, 2-3 ft., 1st class | Pastorship | 15 | 1 20 | 10 00 |
| 3 ft | Pastry | 18 | 1 50 | 12 00 |
| 3-4 ft., X | Pasture | 20 | 1 75 | 15 00 |
| 4-5 ft | Pastured | 25 | 2 00 | |
| — Std., Tree Form , 1st class | Pasturing | 35 | 3 00 | |
| extra | Pastureless | 40 | 3 50 | |
| — — tardiva, 3-4 ft | Patch | 20 | | |
| — radiata, 2-3 ft | Patched | 35 | | |
| — scandens, 12 in | Patcher | 15 | | |
| — otaksa, 1 yr | Patent | 12 | 1 00 | 8 00 |
| 12-15 in | Patented | 20 | 1 50 | 12 50 |
| 18 in., bushy | Patenting | 25 | 2 00 | |
| in tubs | Paternal | 1 50 | | |
| — hortensia, 1 yr | Paternally | 12 | 1 00 | 8 00 |
| 12-15 in | Paternity | 20 | 1 50 | |
| — querifolia, 18 in | Path | 35 | | |
| HYPERICUM —aureum, 1½-2 ft | Pathetic | 12 | 1 00 | |
| 2-2½ ft | Pathic | 15 | 1 25 | 12 00 |
| 2½-3 ft | Pathless | 18 | 1 50 | |
| — densiflorum, 1½-2 ft., bushy | Pathos | 12 | | |
| 2 -3 ft., " | Pathway | 18 | 1 60 | 15 00 |
| — moserianum, 1 yr., in pots | Patient | 06 | | |
| 2 yr., field | Patiently | 12 | 1 10 | 10 00 |
| ILEX —verticillata, (Prinos), Black Alder , 1½-2 ft | Patness | 12 | 1 10 | 12 00 |
| 2-2½ ft | Patriot | 18 | 1 60 | 17 00 |
| 2½-3 ft | Patriotic | 20 | | |
| ITEA —virginica, 1½-2 ft | Patrol | 13 | 1 20 | 10 00 |
| 2-2½ ft | Patrolling | 15 | 1 30 | |
| JASMINUM —nudiflorum, Yel. Jasmine , 2 yr | Patron | 15 | 1 20 | |
| 3 yr., extra bushy | Patroness | 20 | 1 80 | |
| KERRIA —japonica, Single Flg. , 1½-2 ft | Patronize | 12 | | |
| 2 -3 ft | Patronized | 18 | | |
| — fl. pl., Dbl. Flowering Corchorus , 18-24 in | Patronizing | 12 | | |
| 2-3 ft | Patted | 18 | | |
| — — variegata, Dwf. Var. Lf., 12-18 in., bushy | Patter | 12 | | |
| LAURUS —benzoin, 2-3 ft | Pattered | 18 | 1 60 | 15 00 |
| LESPEDAZA —bicolor, Bush Clover , 3-4 ft | Pattering | 15 | 1 30 | |
| LIGUSTRUM —amurense, 2-3 ft | Pattern | 10 | 90 | 8 00 |
| 3-4 ft | Patterned | 12 | 1 00 | |
| — ibota, 1½-2 ft | Patterning | 07 | 65 | |
| 2 -3 ft | Pauper | 10 | 90 | 7 00 |
| 3 -4 ft | Pauperism | 12 | 1 10 | 10 00 |
| — lucidum, 1 yr | Pauperized | 15 | | |
| — — regelianum, 1½-2 ft., bushy | Pauperize | 12 | 1 10 | 10 00 |
| 2-2½ ft., " | Pause | 15 | 1 30 | 12 00 |
| 2½-3 ft., " | Paused | 18 | 1 75 | 15 00 |
| — ovalifolium, California Privet — | | | | |
| 12-18 in., well branched, per 1000 \$15 00 | Pausing | 03 | 17 | 1 50 |
| 18-24 in., " " 1000 20 00 | Pave | 04 | 25 | 2 25 |
| 2-3 ft., " " 1000 25 00 | Paved | 05 | 40 | 3 00 |
| 3 ft., " " 1000 35 00 | Pavement | 08 | 60 | 4 00 |
| 3-4 ft., " extra | Paver | 10 | 70 | 5 00 |
| 4-6 ft., extra transplanted | Pavilion | 15 | 1 20 | |
| — — Standard (Tree Form) 4-5 ft. 1 yr. heads | Paw | 50 | 4 00 | 35 00 |
| 2 yr. " | Pawed | 75 | 7 00 | |
| — — Globe Form 12-18 in. diam | Pawl | 35 | 3 25 | 30 00 |
| 18 in. diam | Pawing | 65 | 6 00 | 50 00 |
| — — aureum Golden Privet , 12-18 in | Pawling | 12 | 1 00 | |
| 18-24 in | Pawn | 13 | 1 10 | 8 00 |
| 2-3 ft | Pawned | 18 | 1 50 | 12 00 |

| | | Tel. Code | Each | Per 10 | Per 100 |
|--|--|-----------------|-------|--------|---------|
| LIGUSTRUM —Continued | | | | | |
| — elegans Var. Privet, 12-18 in | | Pawnee .. | \$ 12 | \$1 00 | |
| 18-24 in | | Pawning .. | 13 | 1 10 | |
| 2-3 ft. | | Pay | 15 | 1 30 | \$12 00 |
| 3-4 ft. | | Payable .. | 20 | 1 80 | 15 00 |
| — vulgaris 18-24 in | | Paying | 10 | 60 | 5 00 |
| 2-3 ft. | | Payment .. | 18 | 1 50 | |
| LONICERA —alberti, 18-24 in | | Peace | 13 | 1 20 | |
| 2-3 ft. | | Peaceable .. | 15 | | |
| — fragrantissima 2-3 ft. | | Peaceful .. | 20 | 1 75 | 12 00 |
| 3-4 ft. | | Peacefulness .. | 25 | 2 00 | 15 00 |
| — maacki, 2-3 ft. | | Peacably .. | 15 | 1 20 | |
| — morrowi, 2-3 ft. | | Peacefully .. | 12 | 1 00 | 8 00 |
| 3-4 ft. | | Peach | 15 | 1 20 | 10 00 |
| 4-5 ft. | | Peanut | 20 | 1 80 | 15 00 |
| — tatarica Bush Honeysuckle , Pink White and Yellow | | Peaceless .. | 12 | 1 00 | 8 00 |
| 2-3 ft. | | Peacock .. | 15 | 1 20 | 10 00 |
| 3-4 ft. | | Peak | 20 | | |
| 4-5 ft. | | Peaked | 15 | 1 20 | 10 00 |
| — ruprechtiana 2-3 ft. | | Peakish .. | 15 | | |
| — standishi 2-3 ft. | | Peaking .. | 20 | 1 90 | |
| MYRICA —cerifera Bay Berry , 18-24 in. bushy | | Peakish .. | 25 | 2 25 | |
| 2-3 ft. " | | Peal | 30 | 2 80 | |
| 3-4 ft. " | | Pealing .. | 35 | 3 00 | 25 00 |
| — OXYDENDRON —18-24 in | | Pearl | 45 | 4 00 | 35 00 |
| 2-3 ft. | | | | | |
| PAVIA —(See Aesculus). | | | | | |
| PHILADELPHUS —avalanche 2-3 ft | | Peat | 15 | 1 30 | 10 00 |
| — coronarius Mock Orange , Syringa, 2-3 ft. | | Peck | 10 | 90 | 8 00 |
| 3-4 ft. | | Pecked | 12 | 1 10 | 10 00 |
| 4-5 ft. | | Pecking | 20 | 1 80 | 15 00 |
| — aurea Golden Lf. Syringa , 12-18 in. bushy | | Pectinal .. | 12 | | |
| 1½-2 ft. " | | Pectinated .. | 15 | | |
| 2-2½ ft. " | | Pectinate .. | 20 | | |
| — grandiflora Large Flowering | | Peculiarity .. | 12 | 90 | 8 00 |
| 2-3 ft. | | Peculiarly .. | 15 | 1 20 | 10 00 |
| 3-4 ft. | | Pecuniary .. | 20 | 1 80 | 15 00 |
| PRINOS —(See Ilex). | | | | | |
| PRUNUS —Maritima, 3-4 ft | | Pedagogue .. | 35 | | |
| — Pissardi, 2-3 ft | | Pedal | 15 | 1 30 | 12 00 |
| 3-4 ft. | | Pedant | 20 | 1 70 | 15 00 |
| 4-6 ft. | | Pedantic .. | 25 | 2 20 | 18 00 |
| 6-8 ft. | | Pedling .. | 35 | 3 00 | |
| — triloba Double Flg. Plum , 2-3 ft | | Peddle | 18 | 1 60 | 15 00 |
| 3-4 ft. | | Peddled .. | 20 | 1 80 | |
| PYRUS —japonica. (See Cydonia). | | | | | |
| — arbutifolia (See Aronia). | | | | | |
| — floribunda (See Trees). | | | | | |
| PTELIA —Hop Tree. (See Trees). | | | | | |
| RHAMNUS —catharticus 2-3 ft | | Peddler .. | 10 | 80 | 7 00 |
| 3-4 ft. | | Pedigree .. | 18 | 1 20 | 10 00 |
| 4-5 ft. | | Pediment .. | 20 | 1 50 | |
| — frangula 3-4 ft. | | Ped | 15 | | |
| 4-5 ft. | | Peek | 20 | | |
| RHODOTYPUS —kerrioides 2-3 ft. bushy | | Peep | 12 | 1 10 | 10 00 |
| 3-4 ft. " | | Peeped .. | 15 | 1 30 | 12 00 |
| RHUS —aromatica 18-24 in | | Peep | 20 | | |
| 2-3 ft. | | Peeping .. | 30 | 2 50 | |
| — copallina 2-3 ft. | | Peevish .. | 18 | 1 60 | 15 00 |
| 3-4 ft. | | Peevishly .. | 25 | 2 00 | |
| — cotinus Purp. Fringe Mist , 2-3 ft. | | Peerage .. | 15 | 1 20 | 8 00 |
| 3-4 ft. | | Peerdom .. | 20 | 1 50 | 10 00 |
| 4-5 ft. | | Peerlessly .. | 25 | 2 00 | 15 00 |
| 5-6 ft. | | Peer | 28 | | |
| 6-8 ft. | | Peerless .. | 35 | | |
| — glabra 2-3 ft. | | Pegger | 15 | 1 20 | |
| 4-5 ft. | | Peg | 20 | 1 80 | |
| 5-6 ft. | | Peggy | 25 | | |
| — laciiniata Cut Lf. Sumach , 18-24 in | | Pegging .. | 18 | 1 60 | 15 00 |
| 2-3 ft. | | Pegged .. | 35 | 2 50 | |

TRADE LIST

15

| | Tel. Code | Each | Per 10 | Per 100 |
|---|-------------------|-------|--------|---------|
| RHUS—Continued | | | | |
| — <i>typhina</i> 2-3 ft. | Pelican . . . | \$ 15 | 1 20 | |
| 3-4 ft. | Pell . . . | 20 | 1 50 | |
| 4-5 ft. | Pelleted . . . | 25 | 2 00 | |
| — — <i>laciniata</i> Cut Lf. Sumach, 2-3 ft. | Pellet . . . | 15 | 1 30 | \$10 00 |
| 3-4 ft. | Pellucid . . . | 18 | 1 50 | |
| 4-5 ft. | Pelter . . . | 25 | 2 00 | 15 00 |
| RIBES—aureum Yel. Fl. Currant, 2-3 ft. | Pelt . . . | 15 | 1 30 | 10 00 |
| 3-4 ft. | Pelted . . . | 20 | 1 80 | 12 00 |
| 4-5 ft. | Peltiy . . . | 25 | | |
| — <i>Sanguineum</i> 1½-2 ft. | Pelting . . . | 15 | 1 20 | |
| ROBINA—hispida Rose Acacia, 2-3 ft. | Pen . . . | 20 | 1 80 | 15 00 |
| 3-4 ft. | Penal . . . | 25 | | |
| — <i>Kelseyana</i> 3-4 ft. | Penalty . . . | 35 | | |
| ROSA—Climbing and Trailing, | | | | |
| — <i>American pillar</i> 2-3 ft. | Penally . . . | 20 | 1 80 | |
| — <i>aviator Bleriot</i> 2-3 ft. | Penance . . . | 18 | 1 50 | |
| — <i>blandida</i> 18 in. | Pence . . . | 12 | 1 10 | 10 00 |
| — <i>carolina</i> 18-24 in. | Penchant . . . | 12 | 1 00 | |
| 2-3 ft. | Pencil . . . | 15 | 1 30 | 12 00 |
| — <i>Dorothy Perkins</i> 2-3 ft. | Penciled . . . | 10 | 90 | 8 00 |
| 3-4 ft. | Penciling . . . | 12 | 1 10 | 10 00 |
| 4-5 ft. | Pendant . . . | 15 | 1 30 | 12 00 |
| — — — <i>White</i> 2-3 ft. | Pendency . . . | 15 | 1 60 | |
| 3-4 ft. | Pendently . . . | 20 | 1 80 | |
| — <i>Dr. Van Fleet</i> 2-3 ft. | Pending . . . | 25 | 2 00 | |
| — <i>excelsa</i> 2-3 ft. | Pendulous . . . | 20 | 1 80 | |
| — <i>gardenia</i> 2-3 ft. | Pendulum . . . | 18 | 1 50 | |
| — <i>lucida</i> 18-24 in. | Penetrable . . . | 15 | 1 30 | 10 00 |
| 2-3 ft. | Penetrant . . . | 18 | 1 50 | |
| — <i>multiflora japonica</i> 2-3 ft. | Penetrate . . . | 12 | 1 10 | 10 00 |
| 3-4 ft. | Penetrating . . . | 15 | 1 30 | 12 00 |
| 4-5 ft. | Penetrative . . . | 18 | | |
| — <i>nitida</i> 18-24 in. | Penetrated . . . | 12 | 1 10 | |
| 2-3 ft. | Penetration . . . | 15 | 1 20 | |
| — <i>rubiginosa, Sweet Briar</i> , 2-3 ft., bushy . . . | Penitence . . . | 12 | 1 10 | 10 00 |
| 3-4 ft., " . . . | Penitency . . . | 15 | 1 30 | 12 00 |
| — <i>rubrifolia (ferruginea)</i> , 2-2½ ft. | Penitential . . . | 15 | 1 30 | 12 00 |
| 3-4 ft. | Pennate . . . | 18 | 1 50 | |
| — <i>rambler crimson</i> , { 2-3 ft., strong . . . | Penned . . . | 15 | 1 30 | 10 00 |
| — — <i>philadelphia</i> , { 3-4 ft., " . . . | Penny . . . | 18 | 1 50 | 12 00 |
| — — pink, { 2-3 ft. | Pensioning . . . | 12 | 1 00 | 9 00 |
| — — yellow, { 3-4 ft. | Pensive . . . | 15 | 1 20 | 10 00 |
| — — white, { 4-5 ft., " . . . | Pension . . . | 20 | 1 80 | |
| — <i>setigera</i> , 2-3 ft. | Pensively . . . | 13 | 1 20 | 10 00 |
| 3-4 ft. | Pent . . . | 15 | 1 30 | 12 00 |
| — <i>silver moon</i> , 2-3 ft. | Pentecost . . . | 25 | 2 00 | |
| — <i>spinossissima</i> , 12-15 in. | Pentecostal . . . | 15 | 1 30 | 12 00 |
| — <i>tausendschon</i> , 2-3 ft. | Penurious . . . | 18 | 1 50 | |
| — <i>wichuraiana</i> , 2-3 ft. | Peopled . . . | 12 | 1 00 | 8 00 |
| 3-4 ft. | Pepper . . . | 15 | 1 20 | 10 00 |
| — <i>rugosa, Red</i> , 1½-2 ft., bushy . . . | Peptic . . . | 10 | 90 | 7 00 |
| 2-2½ ft., " | Percent . . . | 12 | 1 10 | 9 00 |
| 2½-3 ft., " | Perch . . . | 15 | 1 30 | 12 00 |
| — — <i>alba, White</i> , 1½-2 ft., bushy . . . | Perched . . . | 15 | 1 20 | 10 00 |
| 2-2½ ft., " | Percher . . . | 18 | 1 50 | 12 00 |
| 2½-3 ft., " | Perchance . . . | 20 | 1 80 | |
| 3-4 ft., extra . . . | Perchanced . . . | 30 | 2 50 | 20 00 |
| — — Dbl. Flg. <i>White</i> , 2-2½ ft. | Perdition . . . | 18 | 1 50 | |
| HYBRIDS, MOSSES, ETC.— | | | | |
| CLASS 1 | Perfect . . . | 15 | 1 30 | |

Strong Dormant Buds in the following varieties: Alfred Colomb, Anna Diesbach, Bonstettin, B. Rothschild, Coq. d'Alps, Clio, D. of Edinburgh, Fisher Holmes, Gen. Jack, Gen. Washington, Jno. Hopper, Louis Van Houtte, Mabel Morrison, Mad. G. Luizette, Mad. Plantier, M. P. Wilder, Marg. Dickson, Mrs. J. Laing, Magna Charta, Paul Neyron, Perle Blanche, Prince C. de Rohan, U. Brunner, Moss, Red, White, Pink and Crested,

HYBRIDS, Etc.—Continued

Tel. Code Each Per 10 Per 100

| | | | |
|---|------------------|--------------|---------|
| — CLASS 2 —Strong Dormant Buds in the following varieties..... | Perfection | \$ 20 | \$ 1 80 |
| C. Soupert, Carolina Testout, Etiole de France, Frau Carl Druschki, Gruss an Teplitz, Glorie de Dijon, Dinsmore, Gloire de Lyonnaise, Hugh Dickson, Jean Liabaud, J. B. Clark, Killarney, Kaiserin, LaFrance, Maman Cochet, Mrs. R. S. Crawford, Soleil d'Or, Persian Yellow. | | | |
| — AMERICAN BEAUTY | Perforate . | \$ 25 | |
| We have a small number of the following New Roses, | | | |
| field grown | | 35 | |
| Jonckheer Mock, A. R. Goodwin, Duchess of Wellington, Lady Hillingdon, Aviator Bleriot, Lyon Rose, Orleans. | | | |
| — BABY RAMBLER | { Red | Perforating | |
| | { Pink | Perform .. | 15 |
| | { White | Performance. | |
| TREE ROSES —good assortment | Performing | 35 | 3 00 |
| Roses in pots, 6 in., budded plants, May & June delivery | Perhaps . | 30 | |
| RUBUS —odoratus, 2-3 ft. | Peril | 12 | 1 00 |
| SAMBUCUS —canadensis, 2-3 ft. | Periling | 12 | 80 |
| 3-4 ft. | Perilous | 15 | 1 20 |
| 4-5 ft. | Period | 20 | 1 80 |
| — nigra aurea, Gld. Elder, 2-3 ft. | Periodic | 12 | 1 10 |
| 3-4 ft. | Perish | 18 | 1 50 |
| 4-5 ft. | Perishable. | 20 | 1 80 |
| — racemosus, 3-4 ft. | Perj | 18 | 1 50 |
| 4-5 ft. | Perjured | 25 | 2 00 |
| SPIRAEA —A. Waterer, 15-18 in., bushy..... | Perjury | 12 | 1 00 |
| 18-24 in., " | Perjury | 15 | 1 30 |
| 2-2½ ft., " | Permit | 18 | 1 60 |
| — arguta, 1½-2 ft., bushy | Permitting | 10 | 80 |
| 2-2½ ft., " | Permission | 12 | |
| — Atchinsoni, 2-3 ft. | Perplexity | 25 | 2 00 |
| 3-4 ft. | Perplexed | 35 | 3 00 |
| 4-5 ft. | Perplex | 45 | 4 00 |
| — billardii, 2-3 ft. | Perplexing | 10 | 90 |
| 3-4 ft. | Pert | 12 | 1 10 |
| — bumalda, 1½-2 ft., bushy | Pertain | 14 | 1 30 |
| 2-2½ ft. | Pervade | 18 | 1 60 |
| — callosa alba, 1½-2 ft., bushy | Pervading | 12 | 1 10 |
| 2-2½ ft., " | Pervert | 15 | |
| — crispifolia, 6-8 in. | Perverted | 15 | |
| — myrtifolia, 2-3 ft. | Pest | 15 | 1 20 |
| — opulifolia, 3-4 ft. | Pet | 12 | 1 10 |
| 4-5 ft. | Petting | 20 | 1 80 |
| — opulifolia aurea, Golden , 2-3 ft. | Petal | 10 | 80 |
| 3-4 ft. | Petition | 12 | 1 00 |
| 4-5 ft. | Petrify | 15 | 1 20 |
| — prunifolia, 2-3 ft. | Petrified | 12 | 1 10 |
| 3-4 ft. | Pick | 15 | 1 30 |
| 4-5 ft. | Picking | 20 | 1 50 |
| — rotundifolia, 2-3 ft. | Picked | 15 | 1 25 |
| 3-4 ft., extra | Picket | 13 | |
| — reevesii, 2-3 ft. | Pickle | 15 | 1 30 |
| 3-4 ft. | Pickled | 18 | |
| — sorbifolia, 2-3 ft. | Picnic | 12 | 1 10 |
| 3-4 ft. | Picture | 15 | 1 30 |
| — Thunbergii, Van Houttei, 15-18 in., bushy | Pie | 10 | 90 |
| 18-24 in., " | Piece | 12 | 1 10 |
| 2-2½ ft., " | Pier | 18 | 1 50 |
| — tomentosa, 2-3 ft. | Pierce | 10 | 90 |
| 3-4 ft. | Piety | 13 | 1 20 |
| — Van Houttei, 2-2½ ft. | Pile | 10 | 90 |
| 2½-3 ft. | Pilfer | 12 | 1 10 |
| 3-4 ft. | Pilgrim | 15 | 1 30 |
| 4-5 ft. | Pill | 20 | |
| — Veitchii, 2-3 ft. | Pilot | 18 | 1 50 |
| 3-4 ft. | Piloting | 20 | 1 80 |
| 4-5 ft. | Piloted | 25 | |

| | Tel. Code | Each | Per 10 | Per 100 |
|---|----------------------|-------|--------|---------|
| SPIRAEA —Continued | | | | |
| — Wilsonii, 2-2½ ft. | Pin | \$ 25 | 2 00 | |
| 2½-3 ft. | Pincers | 35 | | |
| STAPHYLEA —colchica, 2-3 ft. | Pinning | 25 | | |
| STEPHANANDRA —flexuosa, 2-3 ft., bushy | Pinched | 12 | 1 10 | \$10 00 |
| 3-4 ft., “ | Pinch | 15 | 1 30 | 12 00 |
| 4 ft., XX | Pinching | 18 | 1 60 | |
| STYRAX —japonica, 18-24 in | Pink | 12 | 1 00 | 9 00 |
| 2-3 ft. | Pint | 18 | 1 50 | |
| SYMPHOCARPOS —racemosus. | | | | |
| — White Snowberry, 2-3 ft., bushy | Pipe | 12 | 1 00 | 10 00 |
| 3-4 ft., “ | Pipkin | 15 | 1 30 | 12 00 |
| 4 ft | Piper | 18 | 1 50 | |
| — vulgaris, Red Indian Currant , 1½-2 ft., bushy | Pirate | 08 | 70 | 5 00 |
| 2 -3 ft., “ | Pitch | 10 | 90 | 8 00 |
| 3 -4 ft., “ | Pitching | 12 | 1 10 | 10 00 |
| 4 ft., “ | Pitched | 18 | 1 50 | |
| SYRINGA —japonica, Japan Tree Lilac , 3-4 ft. | Pitied | 18 | 1 50 | |
| 4-5 ft. | Pitiful | 25 | 2 00 | |
| 5-6 ft. | Placard | 30 | 2 50 | |
| — josikea, Violet , 2-3 ft. | Place | 12 | 1 10 | 10 00 |
| 3-4 ft. | Placid | 15 | 1 30 | 12 00 |
| 4-5 ft. | Placidly | 18 | 1 50 | |
| — persica, Purple , 2-3 ft. | Plague | 15 | 1 20 | |
| 3-4 ft. | Plain | 18 | 1 50 | |
| — — white, 2-3 ft. | Plainly | 15 | 1 20 | |
| 3-4 ft. | Plan | 18 | | |
| — — rothomagensis, Red Persian , 2-3 ft. | Plane | 15 | 1 25 | 12 00 |
| 3-4 ft. | Plant | 18 | 1 60 | |
| 4-5 ft. | Planet | 25 | 2 00 | |
| — — saugeana, Red , 2-3 ft. | Plantation | 15 | 1 30 | 12 00 |
| 3-4 ft. | Planting | 18 | 1 60 | |
| 4-5 ft. | Plaster | 20 | | |
| — villosa, Pink , 2-3 ft. | Plastered | 15 | 1 30 | 10 00 |
| 3-4 ft. | Plastering | 18 | 1 60 | 12 00 |
| 4-5 ft. | Plate | 20 | 1 80 | 15 00 |
| — vulgaris, Common Purple Lilac , 2-3 ft. | Play | 12 | 1 00 | 8 00 |
| 3-4 ft. | Playful | 15 | 1 30 | 12 00 |
| 4-5 ft. | Playfully | 25 | 2 00 | 18 00 |
| — — alba, Common White Lilac , 2-3 ft. | Plead | 12 | 1 10 | 10 00 |
| 3-4 ft. | Pleading | 20 | 1 80 | 15 00 |
| 4-5 ft. | Pleasant | 25 | 2 25 | 18 00 |
| *— Alfonse Lavellee, Purple , 3-4 ft. | Please | 20 | | |
| *— Chas. 10th, Reddish Purple , 2-3 ft. | Pleasing | 15 | 1 25 | 12 00 |
| 3-4 ft. | Pleasure | 20 | 1 80 | 15 00 |
| *— Marie LeGraye, Dwarf White , 1½-2 ft. | Pledge | 12 | 1 00 | |
| 2-3 ft. | Plod | 18 | 1 50 | |
| 3-4 ft. | Plodding | 20 | 1 80 | |
| *— Mad. Lemoine, Dbl. White , 2-3 ft. | Plot | 18 | 1 50 | |
| 3-4 ft. | Plotting | 20 | 1 80 | |
| 4-5 ft. | Plotful | 25 | 2 00 | |
| *— Pres. Greyv, Blue , 2-3 ft. | Plotter | 18 | 1 50 | |
| 3-4 ft. | Plumage | 20 | 1 80 | |
| *— rubra de marley, Light Blue , 2-3 ft. | Plumber | 15 | 1 20 | 9 00 |
| 3-4 ft. | Plumbing | 18 | 1 50 | 11 00 |
| 4-5 ft. | Plunder | 20 | 1 80 | |
| *— Senator Volland, Purple , 2-3 ft. | Plunge | 15 | | |
| 3-4 ft. | Plunged | 18 | 1 50 | |
| *— Souv. de Le Spæth, Dark Purple , 18-24 in | Poem | 12 | 1 00 | |
| 2-3 ft. | Poet | 18 | 1 50 | |
| 3-4 ft. | Poetic | 25 | 2 00 | 18 00 |
| TAMARIX —africana, 2-3 ft. | Poetical | 10 | 90 | 8 00 |
| 3-4 ft. | Point | 15 | 1 20 | 10 00 |
| 4-5 ft. | Pointless | 20 | 1 50 | 13 00 |
| — gallica, 3-4 ft. | Poison | 12 | | |
| — hispida astœvalis, 2 yr | Plodder | 18 | 1 50 | |
| — indica, 3-4 ft. | Poisoned | 15 | | |
| — japonica, 3-4 ft. | Poisonous | 20 | 1 80 | |

*On own roots.

| | | Tel. Code | Each | Per 10 | Per 100 |
|--|-----------|------------|-------|---------|---------|
| VIBURNUM — <i>Acerifolia</i> , 1 yr. | | Pole | \$ 25 | \$ 2 00 | |
| — <i>cassinoides</i> , 1½-2 ft. | | Police | 18 | 1 50 | \$12 00 |
| 2-3 ft. | | Policy | 20 | 1 80 | 15 00 |
| 3-4 ft. | | Polish | 25 | 2 00 | 20 00 |
| 4-5 ft. | | Polished | 35 | 3 00 | |
| — <i>dentatum</i> , 2-3 ft., bushy | | Polite | 20 | 1 50 | 12 00 |
| 3-4 ft., " | | Political | 25 | 1 80 | 15 00 |
| 4-5 ft., " | | Politics | 30 | 2 50 | 20 00 |
| — <i>molle</i> , 2-3 ft. | | Porch | 15 | 1 20 | 10 00 |
| 3-4 ft. | | Pore | 20 | 1 80 | 15 00 |
| 4-5 ft. | | Pork | 30 | 2 50 | 20 00 |
| — <i>lantana</i> , 2-3 ft. | | Port | 15 | 1 30 | 12 00 |
| 3-4 ft. | | Post | 20 | 1 80 | 15 00 |
| 4-5 ft. | | Postage | 25 | 2 00 | |
| — — <i>rugosum</i> , 2-3 ft. | | Posting | 18 | 1 50 | 12 00 |
| — <i>lentago</i> , 2-3 ft. | | Pot | 18 | 1 50 | |
| 3-4 ft. | | Potter | 30 | 2 50 | |
| 4-5 ft. | | Pottery | 30 | | |
| — — <i>oxycocos</i> , Highbush Cranby , 2-3 ft. | | Potting | 12 | 1 00 | 8 00 |
| 3-4 ft., bushy | | Pouch | 15 | 1 30 | 12 00 |
| 4-5 ft., " | | Poultice | 20 | | |
| — <i>opusum aurea</i> , 3-4 ft. | | Poultried | 15 | | |
| 4-5 ft. | | Poultry | 18 | | |
| — — <i>sterilis</i> , Common Snowball , 2-3 ft. | | Pounce | 12 | 1 10 | 10 00 |
| 3-4 ft. | | Pouncing | 15 | 1 30 | 12 00 |
| — — <i>nana</i> , Dwf. Snowball , 8-12 in., bushy | | Pound | 12 | 1 10 | |
| 12-18 in., " | | Pounded | 20 | 1 80 | 15 00 |
| 18 in., " | | Pour | 25 | 2 00 | |
| — <i>plicatum</i> , Japan Snowball , 2-3 ft. | | Poured | 20 | 1 80 | 15 00 |
| 3-4 ft. | | Pouring | 25 | 2 30 | 20 00 |
| 4-5 ft. | | Pout | 30 | 2 50 | |
| — — Standard, in Tree Form | | Pouting | 35 | 3 00 | |
| — <i>prunifolium</i> , Black Haw , 2-3 ft. | | Poverty | 25 | | |
| — <i>rhytidophyllum</i> , 2 yr., new evergreen sort. | | Powder | 1 00 | | |
| — <i>Sieboldi</i> , <i>japonicum</i> , 2-3 ft. | | Power | 25 | 2 25 | 20 00 |
| 3-4 ft. | | Powerless | 30 | 2 50 | |
| 4-5 ft. | | Powerful | 45 | 4 00 | |
| — <i>tomentosum</i> , 2-3 ft. | | Practice | 20 | 1 80 | 15 00 |
| 3-4 ft. | | Practiced | 30 | 2 50 | 20 00 |
| 4-5 ft. | | Practicing | 35 | 3 00 | 25 00 |
| VITEX — <i>agnus castus</i> , 2-3 ft. | | Praise | 12 | 1 10 | 10 00 |
| 3-4 ft. | | Praised | 15 | 1 25 | |
| 4-5 ft. | | Praiseful | 18 | | |
| WEIGELA — <i>Abel Carriere</i> , 2-3 ft. | | Praising | 15 | 1 20 | |
| — <i>amabilis</i> , 2-3 ft. | | Prayed | 13 | 1 20 | |
| 3-4 ft. | | Prayers | 16 | 1 50 | |
| 4-5 ft. | | Prayerful | 20 | 1 80 | |
| — <i>candida</i> , white, 2-3 ft. | | Pray | 12 | 1 10 | 10 00 |
| 3-4 ft. | | Prayer | 18 | 1 60 | 12 00 |
| 4-5 ft. | | Praying | 25 | 2 20 | 20 00 |
| — <i>Eva Rathke</i> , 2-3 ft. | | Precede | 15 | 1 30 | 12 00 |
| 3-4 ft. | | Precise | 20 | 1 50 | 15 00 |
| — <i>lavelli</i> , 2-3 ft. | | Prepare | 12 | 1 10 | 10 00 |
| 3-4 ft. | | Presenting | 18 | 1 50 | 12 00 |
| 4-5 ft. | | Present | 25 | 2 00 | |
| — <i>lutea</i> , <i>Diervilla Sessifolia</i> , 2-3 ft. | | Presented | 12 | 1 00 | |
| 3-4 ft. | | Preserve | 18 | 1 50 | 12 00 |
| 4-5 ft. | | Preserved | 25 | 2 00 | |
| — <i>nana Variegata</i> , 2-3 ft. | | Preside | 18 | 1 50 | 12 00 |
| 3-4 ft. | | Press | 22 | 2 00 | 15 00 |
| 4-5 ft. | | Pressure | 25 | 2 25 | 20 00 |
| — <i>rosea</i> , 2-2½ ft. | | Presume | 12 | 1 00 | 8 00 |
| 2½-3 ft. | | Pretend | 15 | 1 20 | 10 00 |
| 3 - 4 ft. | | Prevail | 18 | 1 50 | 12 00 |
| 4 - 5 ft. | | Prevailed | 25 | 2 25 | 20 00 |
| — <i>Steltzeneri</i> , 2-3 ft. | | Printed | 15 | 1 50 | 12 00 |
| XANTHOCERAS — <i>sorbifolia</i> , 1½-2 ft. | | Pride | 25 | | |
| | 2 - 3 ft. | Priest | 35 | | |

TRADE LIST

19

| | Tel. Code | Each | Per 10 | Per 100 |
|---|--------------------|-------|---------|---------|
| XANTHORHIZA—apiifolia, 12-15 in | Print | \$ 15 | \$ 1 20 | \$10 00 |
| 15-18 in | Printer | 18 | 1 50 | 12 00 |
| 2 ft. | Printing | 20 | 1 80 | |

CLIMBING VINES

| | | | | |
|---|----------------------|-------|---------|---------|
| ACTINIDIA—Arguta, 2 yr | Ice | \$ 18 | \$ 1 50 | \$12 00 |
| AKEBIA—Quinata, 2 yr., 1st class | Iced | 12 | 1 00 | 10 00 |
| AMPELOPSIS—Engelmani, 2 yr., 1st class | Icicle | 12 | 1 00 | 8 00 |
| 2 yr., extra | Icing | 15 | 1 20 | 10 00 |
| — heterophylla Vitis, 1st class | Identify | 10 | 80 | |
| — quinquefolia, Virg. Creeper, 2 yr., 1st class | Identity | 10 | 90 | 6 00 |
| — Veitchi, Japan Ivy, 1 yr. in pots | Idiotic | 08 | | |
| — 2 yr. pots | Idea | 12 | | |
| — Field Grown, 2 yr., medium | Ideal | 09 | 70 | 5 00 |
| — “ 2 yr., first-class | Idealize | 10 | 80 | 7 00 |
| — “ 2 yrs., strong | Idly | 12 | 1 10 | 9 00 |
| ARISTOLOCHIA—Siphon Dutchman's Pipe, 2-3 ft. | Idle | 30 | 2 50 | |
| 3-4 ft. | Idleness | 35 | 3 00 | |
| BIGNONIA—radicans, Chinese Trumpet Vine, 2-3 ft. | Ignite | 12 | 1 00 | 7 00 |
| — grandiflora, Common Trumpet Vine, 2-3 ft | Ignore | 15 | 1 30 | 12 00 |
| CELASTRUS—scandens, Jap. Staff Vine, 2 yr | Ill | 15 | 1 00 | |
| CLEMATIS—Large Flowering, (imported) | Illness | 25 | | |
| — paniculata, 1 yr., in pots | Illustre | 06 | | |
| 2 yr., medium | Imp | 08 | 70 | 6 00 |
| 2 yr., field grown, extra | Image | 10 | 90 | 8 00 |
| 3 yr., “ | Imagine | 12 | 1 10 | 10 00 |
| EUONYMUS—(See Evergreens). | | | | |
| HEDERA—Helix, English Ivy, 1 yr. in pots | Immense | 08 | | |
| 2 yr. in pots | Implore | 13 | 1 20 | 10 00 |
| field grown | Implored | 10 | 90 | 7 00 |
| JASMINUM—(See Shrubs). | | | | |
| KUDZU VINE, 2 yr | Implores | 15 | 1 25 | 10 00 |
| LONICERA— | | | | |
| — brachypoda, Evergreen Honeysuckle, 2 yr | Import | 10 | | |
| — aurea, Golden Honeysuckle, 2 yr | Impose | 10 | 80 | 7 00 |
| — belgica, 2 yr | Imposed | 12 | 1 00 | |
| — halleana, Hall's Jap. Honeysuckle, 2 yr | Impress | 10 | *80 | 7 00 |
| — heckrottii, 2 yr | Impulsive | 10 | 90 | 8 00 |
| — punicea, Trumpet Honeysuckle, 2 yr | In | 10 | | |
| — sempervirens, 2 yr | Incense | 10 | | |
| LYCIUM—Barbarum, Matrimony Vine, 2-3 ft. | Incensed | 10 | 90 | 8 00 |
| 3-4 ft. | Incentive | 12 | 1 10 | |
| — sinensis, 2-3 ft. | Incessant | 10 | 90 | 8 00 |
| 3-4 ft. | Inclining | 12 | 1 00 | |
| WISTARIA—frutescens, 2-3 ft. | Incline | 18 | 1 60 | 15 00 |
| 3-4 ft. | Inclined | 20 | 1 75 | |
| — multijuga, 2-3 ft. | Indian | 15 | 1 30 | 12 00 |
| 3-4 ft. | Indicate | 20 | 1 75 | 15 00 |
| — sinensis, Chinese, 2-3 ft. | Indicated | 15 | 1 30 | 12 00 |
| 3-4 ft. | Index | 20 | 1 75 | |
| — alba, Chinese White, 2-3 ft. | Induce | 20 | 1 75 | |
| 3-4 ft. | Induced | 30 | 2 50 | |
| — Standards | Inducement | 1 50 | | |

CONIFERS AND EVERGREENS

These have all been transplanted, most of them several times, giving ample room for full development, and frequently sheared to produce compact, symmetrical specimens. Those marked with a** will be dug at the prices named, with the soil adherent to the roots and securely tied in burlap. We will dig in like manner the others at an additional charge of 6c each for 1½ to 2 ft., 8c for 2 to 3 ft., 10c for 3 to 4 ft., 15c for 4 to 5 ft., and 20c for 5 to 6 ft., unless requested not to do so.

| | Tel. Code | Each | Per 10 | Per 100 |
|---|-------------------|--------|---------|---------|
| ABIES—arizonica, 18 in.** | Sabbath | \$1 60 | | |
| 2 ft.** | Sabaism | 2 00 | | |
| 2-3 ft. | Sab | 55 | \$ 4 50 | |
| — balsamea, Balsam Fir, 3-4 ft.** | Saber | 75 | | |
| — cilicica, 10-12 in | Sable | 40 | | |

| | | Tel. Code | Each | Per 10 | Per 100 |
|---|--------------------------|------------------------|-------|---------|----------|
| ABIES —Continued | | | | | |
| — <i>concolor</i> , Col. Silver Fir, 1½-2 ft.** | | Sabot | \$ 75 | \$ 7 00 | |
| 2-3 ft.** | | Sack | 1 25 | 11 50 | \$100 00 |
| 3-4 ft.** | | Sacred | 1 80 | 17 50 | |
| — <i>douglasii</i> (Pseudo Tsuga), 2-2½ ft.** | | Sacrificial | .55 | 5 00 | 45 00 |
| 3-4 ft.** | | Sacredly | 1 10 | 10 00 | 85 00 |
| 4-5 ft.** | | Sacrileging | 1 35 | 12 50 | |
| — <i>Fraserii</i> , Fraser's Balsam Fir, 2-2½ ft. | | Sacrifice | .45 | 4 00 | |
| 2½-3 ft. | | Sacrilege | .65 | 6 00 | |
| 3-4 ft.** | | Sacrificing | .75 | 7 00 | |
| 4-5 ft.** | | Sacrificed | 1 00 | 8 50 | |
| — <i>nordmanniana</i> , Nordman Fir, 2-2½ ft.** | | Sadden | .85 | 7 50 | |
| 2½-3 ft.** | | Sadder | 1 15 | 10 00 | |
| 3-4 ft.** | | Saddle | 1 75 | 15 00 | |
| 4-5 ft.** | | Sadly | 2 00 | | |
| — <i>pinsapo</i> , 2½-3 ft.** | | Safe | 1 50 | | |
| — <i>subalpina</i> , 3-4 ft.** | | Safeness | 1 50 | | |
| — <i>Veitchii</i> , 2-2½ ft.** | | Sag | .85 | 8 00 | |
| 2½-3 ft.** | | Sage | 1 15 | 10 00 | |
| 3-4 ft.** | | Sagged | 1 50 | 12 50 | |
| 4-5 ft.** | | Sago | 2 00 | | |
| — <i>Picea alba</i> , White Spruce, 1½-2 ft. | | Said | .30 | 2 75 | 25 00 |
| 2-2½ ft.** | | Sail | .45 | 4 25 | 40 00 |
| 2½-3 ft.** | | Sailable | .55 | 5 00 | |
| 3-4 ft.** | | Sailless | .70 | 6 50 | 60 00 |
| 4-5 ft.** | | Sailor | 1 00 | 9 00 | |
| — <i>alcockiana</i> , 18-24 in | | Saintless | .50 | | |
| — <i>Engelmanni</i> , 12-18 in | | Sallow | .55 | 5 00 | 45 00 |
| — | 18-24 in | Salmon | .65 | 6 00 | 50 00 |
| | 2-2½ ft.** | Salad | .75 | 7 00 | 65 00 |
| — <i>Excelsa</i> , Norway Spruce, 12-16 in | | Salt | .18 | 1 50 | |
| | 1½-2 ft. | Salted | .25 | 2 00 | |
| | 2-2½ ft.** | Sanitary | .30 | 2 75 | 25 00 |
| | 2½-3 ft.** | Sanity | .35 | 3 25 | 30 00 |
| | 3-4 ft.** | Sank | .50 | 4 50 | 40 00 |
| | 4-5 ft.** | Sap | 1 00 | 8 50 | 65 00 |
| | 5-6 ft.** | Sapphire | 1 35 | 12 50 | 100 00 |
| | 6-7 ft.** | Sarcastic | 1 50 | 13 50 | 125 00 |
| — — <i>aurea</i> , Golden Spruce, 18-24 in ** | | Sarcasm | .65 | | |
| — — <i>conica</i> , 12-18 in** | | Sat | .75 | 7 00 | |
| — — <i>gregoriana</i> Dwarf, 18 in.** | | Satin | 1 50 | | |
| — — <i>Invera</i> , Weeping Spruce, 2-3 ft.** | | Satisfaction | .75 | | |
| | 3-4 ft.** | Satisfactory | 1 00 | | |
| | 4-5 ft.** | Satisfy | 1 50 | | |
| — — <i>pumila</i> , Dwarf, 18-24 in.** | | Satisfied | 1 00 | | |
| — — <i>pygmaea</i> , Dwarf, 15-18 in.** | | Satisfying | .75 | | |
| — — <i>pyramidal</i> , 18 in | | Saturate | .60 | | |
| — — <i>procumbens</i> , Dwarf, 12-18 in | | Saturating | .75 | 7 00 | |
| | 18-24 in.** | Saturated | 1 25 | 10 00 | |
| | 24-30 in.** | Sauce | 1 50 | 12 50 | |
| — — <i>nigra doumetti</i> , 18-24 in.** | | Saucing | .85 | | |
| — — <i>orientalis</i> , 18-24 in., bushy ** | | Saucer | .50 | 4 75 | 45 00 |
| | 2-2½ ft., “ ** | Saucily | .70 | 6 50 | |
| | 3-4 ft., “ ** | Saucy | 1 50 | | |
| | 4-5 ft., “ ** | Saunter | 2 00 | | |
| | 5-6 ft., “ ** | Sauntered | 2 50 | | |
| — — <i>polita</i> , 18-24 in | | Savage | .60 | | |
| | 3-4 ft.** | Savagely | 1 00 | | |
| | 4-5 ft. | Save | 2 00 | | |
| — — <i>pungens, glauca</i> , Colorado Blue Spruce, 18-24 in | | Saved | .50 | 4 50 | |
| | 2-3 ft.** | Saving | .75 | 7 00 | |
| | 3-4 ft.** | Saw | 2 00 | | |
| | 4-5 ft.** | Sawed | 3 00 | | |
| — — — <i>Koster's Blue Grafted</i> , 1½ ft | | Scald | 1 25 | 12 00 | 100 00 |
| | 2 ft.** | Scalded | 2 00 | 17 50 | 150 00 |
| | 2½ ft.** | Scalding | 2 50 | 22 50 | 215 00 |
| | 3 ft.** | Scale | 3 50 | 32 50 | 300 00 |
| | 4 ft.** | Scaling | 4 50 | 40 00 | |
| — — — <i>sytschensis</i> , 3-4 ft.** | | Scalp | 1 75 | 15 00 | |

| | | Tel. Code | Each | Per 10 | Per 100 |
|--|---------------------------|-------------------|-------|---------|---------|
| ABIES —Continued | | | | | |
| — umbilicata, 2-2½ ft., extra hardy | | Scamp | \$ 80 | \$ 7 50 | |
| 3-4 ft.** | | Scanned | 1 50 | | |
| ANDROMEDA —catesbaei, (Leucothoe), 12-18 in.** | | Scan | 35 | 2 75 | |
| 18-24 in.** | | Scandel | 45 | 4 00 | |
| — floribunda, 8-12 in.** | | Scant | 75 | 7 00 | |
| 12-18 in.** bushy | | Scantly | 85 | 8 00 | |
| 18-24 in.** bushy | | Scanty | 1 00 | 9 50 | |
| 2-2½ ft.** | | Scaring | 1 50 | | |
| — japonica, Jap. Lily of Valley Tree, 8-12 in. | | Scar | 35 | 3 00 | |
| 12-15 in.** | | Scare | 60 | 5 00 | |
| 18-24 in.** | | Scarf | 75 | | |
| AZALEA —amœna, 8-10 in. | | Scarlet | 30 | 2 75 | \$25 00 |
| 10-12 in.** | | Scene | 40 | 3 75 | |
| — — hinodigiri, 8-12 in. | | Scenery | 40 | 3 50 | |
| 10-12 in.** | | Scent | 55 | 5 00 | |
| 12-18 in.** | | Scented | 75 | 7 00 | 65 00 |
| — indica alba, 18-24 in.** | | Scheme | 65 | 6 00 | |
| — kämpferi (new), 8-12 in.** | | Schemer | 80 | 7 50 | 60 00 |
| — yodogama, 12-18 in.** | | Scheming | 70 | 6 50 | 60 00 |
| BERBERIS —ilicifolia, Holly Leaved, 18 in. | | Scholar | 25 | 2 00 | |
| 2 ft. | | Scholarly | 25 | | |
| BIOTA —oriental Arbor Vitae, 1½-2 ft. | | Science | 45 | | |
| 2 -3 ft. | | Scientific | 55 | | |
| — — aurea conspicua, 3-4 ft.** | | Scintillate | 1 50 | | |
| — — — pyramidalis, 3-4 ft.** | | Scissors | 1 50 | | |
| — — compacta, Chinese Compact, 18-24 in.** | | Scoff | 45 | 4 00 | 35 00 |
| 2-2½ ft.** | | Scoffed | 65 | 6 00 | |
| 2½-3 ft.** | | Scoffing | 75 | | |
| — — elegantissima Rollinson's Golden, 1½-2 ft. | | Scold | 55 | 5 00 | 45 00 |
| 2-2½ ft.** | | Scolding | 70 | | |
| 2½-3 ft.** | | Scolder | 1 00 | | |
| — — nana aurea, Berkman, | | Scoop | 30 | 2 70 | 25 00 |
| 8-12 in. | | Scooped | 50 | | |
| 12-15 in.** | | Scooper | 65 | | |
| — — pyramidalis, 18-24 in.** | | Scorch | 40 | 3 70 | 35 00 |
| — japonica erecta, 18-24 in. | | Scorn | 45 | | |
| — — filiformis, 12-18 in. | | Scorning | 40 | | |
| — rosedale Hybrid, 12-15 in. | | Scored | 35 | 3 00 | 25 00 |
| 18-24 in.** | | Scoringly | 50 | 4 50 | |
| BUXUS —Arborescens Tree Box, Bush Form, 10-12 in.** | | Scornful | 30 | 2 50 | 20 00 |
| 12-15 in.** | | Scornfully | 35 | 3 25 | 30 00 |
| 18-24 in.** | | Scour | 55 | 5 00 | |
| 2-2½ ft.** | | Scoured | 1 00 | | |
| 2½ ft.** | | Scouring | 1 50 | | |
| — — pyramids, 2½ ft., sheared ** | | Scrap | 1 25 | | |
| 3 ft., " ** | | Scrape | 1 70 | 16 00 | |
| 3½ ft., " ** | | Scraped | 2 30 | 20 00 | |
| 4 ft., sheared ** | | Scraping | 3 00 | 25 00 | |
| 5 ft., " ** | | Scratch | 3 75 | | |
| — — globosa, Ball Box, 12-15 in.** | | Scrawl | 1 15 | | |
| — — Standard, 12 in., sheared heads** | | Scrub | 1 50 | | |
| 15 in., " ** | | Scrubbed | 1 75 | 16 50 | |
| 18 in., " ** | | Scrubbing | 2 25 | 20 00 | |
| — suffruticosa Dwf. Edg., | 3-4 in., \$30 00 per 1000 | Sea | 05 | 48 | 4 00 |
| | 4-5 in., \$45 00 per 1000 | Seal | 06 | 55 | 5 00 |
| | 5-6 in., \$55 00 per 1000 | Sealed | 07 | 65 | 6 00 |
| CALLUNA —vulgaris, 6-8 in., 2 yr. | | Seam | 15 | 1 20 | |
| 10-12 in. | | Seamy | 18 | | |
| CEDRUS —atlantica glauca, 1½-2 ft.** | | Seaming | 65 | 6 00 | |
| 2 -3 ft.** | | Seamed | 85 | 7 50 | |
| 3 -4 ft.** | | Seamless | 1 25 | | |
| 5 -6 ft.** | | Searched | 2 00 | | |
| — deodora, 18-24 in.** | | Search | 40 | | |
| 2-3 ft.** | | Searching | 60 | | |
| COTONEASTER —aplanata (new) | | Seasoned | 1 00 | | |
| — horizontalis, Davidiana, 12-18 in. | | Seasonable | 50 | 4 00 | 35 00 |
| 18-24 in. | | Season | 75 | | |
| — macrophylla, 12-18 in. | | Seasoning | 20 | | |

| | | Tel. Code | Each | Per 10 | Per 100 |
|---|-----------------------|-----------|----------|---------|---------|
| CRATAEGUS — <i>Pyracantha</i> , { 18-24 in.** | Seat | \$ 40 | | | |
| Lalandi, { 2-3 ft.** | Seated | 75 | | | |
| CRYPTOMERA — <i>lobbi</i> , <i>compacta</i> , 2-3 ft.** | Seclude | 80 | | | |
| 3-4 ft.** | Secluding | 1 65 | \$ 15 00 | | |
| 4-5 ft.** | Seclusive | 2 00 | | | |
| CUPRESSUS — <i>lawsoniana</i> , 18-24 in | Secluded | 35 | | | |
| DAPHNE — <i>cneorum</i> , 8-10 in | Second | 25 | | | |
| 10-12 in.** | Secondary | 40 | 3 50 | | |
| EUONYMUS — <i>japonicus</i> , 12-18 in., bushy | Secretary | 10 | 80 | \$ 7 00 | |
| 18-24 in., " | Secrecy | 15 | 1 20 | | |
| — <i>radicans</i> , 8-12 in., bushy 2 yr | Sect | 08 | 70 | 6 00 | |
| 12-15 in., " 2 yr | Sectarian | 10 | 90 | 8 00 | |
| 18-24 in., " 3 yr | Section | 15 | 1 20 | 10 00 | |
| — — <i>variegata</i> , 8-12 in., bushy 2 yr | Secure | 08 | 70 | 5 00 | |
| 12-15 in., " 2 yr | Securely | 10 | 80 | | |
| 18-24 in., " 3 yr | Security | 12 | | | |
| — — <i>carrieri</i> , 12-18 in | Sediment | 18 | 1 50 | 12 00 | |
| — — <i>Sieboldi</i> , 18-24 in | Sedition | 15 | 1 30 | 12 00 | |
| 2-2½ ft | Seduced | 25 | 2 00 | 18 00 | |
| ILEX — <i>crenata</i> , Japan Holly , 15-18 in | Seduce | 35 | 3 00 | | |
| 18-24 in.** | Seducer | 75 | 7 00 | | |
| 2-2½ ft.** | Seducing | 1 00 | | | |
| — <i>macrophylla</i> , 12-15 in | Seductive | 45 | | | |
| 18-24 in.** | Sedulous | 75 | 7 00 | | |
| — <i>opaca</i> , American Holly , 2-3 ft.** | See | 85 | 7 50 | | |
| 3-4 ft.** | Seed | 1 25 | 11 50 | | |
| JUNIPERUS — <i>canadensis</i> , 12-18 in | Seedy | 35 | 3 00 | | |
| 18-24 in.** | Seeing | 50 | | | |
| — <i>communis</i> , 15-18 in. across | Seem | 40 | 3 50 | 25 00 | |
| — <i>communis aurea</i> , { 12-18 in. across | Seemingly | 35 | 3 25 | 30 00 | |
| (Douglas Golden), { 18-24 in., " ** | Seemless | 50 | 4 50 | 40 00 | |
| 2½-3 ft., " ** | Seemly | 1 00 | | | |
| — — <i>glauca</i> , 6-12 in. across | Select | 35 | | | |
| — — <i>prostrata</i> , 12-18 in | Selecting | 35 | | | |
| 18-24 in.** | Selected | 45 | 4 00 | 35 00 | |
| — — <i>cracovica</i> , 12-15 in | Self | 25 | 2 00 | | |
| — — <i>hibernica</i> , Irish Juniper , 12-18 in | Sell | 12 | 1 00 | 9 00 | |
| 18-24 in | Selling | 18 | 1 75 | 15 00 | |
| 2-3 ft.** | Seller | 40 | 3 50 | 25 00 | |
| 3-4 ft., sheared** | Selvage | 50 | | | |
| — — <i>suecica</i> , Swedish Juniper , 12-15 in | Send | 20 | 1 80 | | |
| 2½ ft | Sender | 40 | 3 50 | | |
| — <i>excelsa stricta</i> , 6-8 in., bushy | Sending | 12 | 1 00 | 9 00 | |
| 8-12 in., " | Sent | 25 | 2 00 | 15 00 | |
| 18-24 in., " | Sentence | 50 | 4 50 | 40 00 | |
| 2-2½ ft.** | Sentiment | 1 00 | 9 00 | | |
| — — <i>japonica</i> , Japan Juniper , 15-18 in., bushy | Sentimental | 25 | 2 20 | 20 00 | |
| 18-24 in., " | Sentry | 45 | 4 00 | 35 00 | |
| 2-2½ ft.** | Separable | 50 | 4 50 | | |
| 2½-3 ft.** | Separably | 60 | | | |
| — — <i>japonica aurea</i> , Japan Golden Juniper , 15-18 in | Separatism | 55 | 5 00 | 45 00 | |
| 1½-2 ft.** | Separated | 80 | 7 50 | | |
| 2-2½ ft.** | Separate | 90 | 8 50 | | |
| — — <i>variegata</i> , Japan Var. Juniper , 12-18 in | Separating | 50 | 4 50 | | |
| — — <i>repanda</i> , 15-18 in | Separation | 40 | | | |
| — — <i>rigida</i> , 3 ft | Sequel | 85 | | | |
| — — <i>sabina</i> , 12-15 in | Search | 25 | 2 00 | 18 00 | |
| 15-18 in | Seraphim | 25 | 2 25 | 20 00 | |
| 18-24 in.** | Serene | 45 | 4 00 | | |
| 2½ ft.** | Serenely | 55 | | | |
| — — <i>prostrata</i> , 12-15 in | Serenity | 40 | 3 50 | | |
| 18-24 in.** | Serf | 55 | | | |
| — — <i>tamariscifolia</i> , <i>prostrata</i> , 12-15 in | Serials | 30 | | | |
| 15-18 in.** | Series | 50 | | | |
| — — <i>variegata</i> , 8-12 in | Serial | 35 | | | |
| — — <i>sinensis aurea</i> , 2-2½ ft.** | Serious | 75 | | | |
| — — <i>Sinensis</i> , Variegated, Chinese Juniper , 12-18 in | Seriously | 45 | 4 00 | | |
| 18-24 in.** | Serpent | 65 | 6 00 | | |
| 4 ft.** | Servant | 2 25 | | | |

| | Tel. Code | Each | Per 10 | Per 100 |
|---|----------------------|-------|---------|---------|
| JUNIPERUS —Continued | | | | |
| — neoboriense, 18-24 in. | Serve | \$ 45 | \$ 3 50 | |
| 2 ft. | Served | 65 | 6 00 | |
| — pfitzeriana, 12-15 in. | Serving | 50 | 4 50 | \$35 00 |
| 18-24 in. | Set | 75 | 7 00 | |
| 2-3 ft.** | Setting | 1 00 | 9 00 | |
| 3-4 ft.** | Settle | 2 50 | | |
| — Reveesiana, 12-18 in. | Setter | 35 | 3 00 | |
| 18-24 in. | Settled | 50 | | |
| — squammata, 18-24 in. | Settling | 60 | | |
| — Waubekan, 12-15 in. | Settler | 45 | 4 00 | 35 00 |
| — virginiana, Red Cedar, 18-24 in. | Several | 20 | 1 80 | 15 00 |
| 2-3 ft.** | Sewed | 60 | 5 00 | 45 00 |
| 3-4 ft., sheared**. | Sewer | 90 | 8 50 | 75 00 |
| 4 ft., " ** | Sewing | 1 50 | 12 50 | 100 00 |
| 5 ft., " ** | Severe | 2 00 | 17 50 | |
| 6-7 ft., " ** | Sever | 2 50 | | |
| 7-8 ft., " ** | Severed | 4 00 | | |
| — elegantissima, 1½-2 ft. | Severity | 45 | | |
| 2-2½ ft.** | Shabby | 75 | | |
| 2½-3 ft.** | Shad | 85 | | |
| — glauca, Blue Cedar, 1½-2 ft., grafted. | Shade | 55 | 5 00 | 45 00 |
| 2-2½ ft.** | Shadowing | 85 | 8 00 | |
| 2½-3 ft. | Shadow | 1 15 | | |
| 3 - 4 ft.** | Shadowy | 2 00 | 16 50 | |
| — globosa, 12-15 in. | Shake | 75 | 7 00 | 65 00 |
| — aurea, 12-15 in. | Shaky | 75 | | |
| — pendula, Weeping Juniper, 2-3 ft. | Shaker | 50 | | |
| 3-4 ft. | Shaking | 1 00 | | |
| — Schotti, 18-24 in. | Shall | 45 | 4 00 | |
| KALMIA —Latifolia, Mountain Laurel, (Nursery grown), | | | | |
| 12-15 in. | Sham | 55 | 5 00 | |
| 18-24 in.** | Shame | 70 | 6 50 | 60 00 |
| 2-2½ ft. | Shames | 90 | 8 50 | |
| Collected Plants, 2-3 ft. | Shamed | 60 | | |
| 3-4 ft. | Shameful | 75 | | |
| Collected Stock in carload lots. Prices on application. | | | | |
| MAHONIA —aquifolia, Holly Lvd. Ashb'y, 1-1½ ft. | Shank | 15 | 1 25 | |
| 1½-2 ft. | Shanky | 25 | 2 25 | 20 00 |
| 2-2½ ft. | Shanty | 35 | 3 00 | |
| — japonica, 12-15 in. | Shape | 18 | 1 50 | |
| 18-24 in. | Shaped | 35 | 3 25 | 30 00 |
| PHOTINIA —glabra, 18 in. | Shocker | 50 | | |
| PINUS —austriaca, Austrian Pine, 2-2½ ft. | Shave | 50 | 4 50 | 40 00 |
| 2½-3 ft.** | Shaver | 80 | 7 50 | 65 00 |
| 3-4 ft.** | Shavings | 1 15 | 11 00 | 85 00 |
| 4-5 ft.** | Shaved | 2 00 | 17 50 | 150 00 |
| 5-6 ft.** | Shaving | 2 50 | | |
| — cembra, Swiss Stone Pine, 15-18 in. | She | 55 | 5 00 | |
| 18-24 in.** | Shear | 85 | 8 00 | 75 00 |
| 2-2½ ft.** | Shearing | 1 15 | 10 00 | |
| 3-4 ft.** | Sheared | 2 00 | | |
| — excelsa Bothan Pine, 2-2½ ft. | Sheave | 60 | 5 00 | 45 00 |
| 2½-3 ft. | Shed | 75 | 7 00 | |
| 3 - 4 ft.** | Shedding | 90 | 8 50 | |
| 4 - 5 ft.** | Sheen | 1 50 | 12 50 | |
| — Mugho, Dwf. Mt. Pine, 15-18 in. across | Sheep | 70 | 6 50 | 60 00 |
| 18-24 in. " ** | Sheer | 1 00 | 9 50 | 90 00 |
| 2 ft., " ** | Sheerly | 1 50 | | |
| — parviflora glauca, 3 ft.** | Shell | 1 50 | | |
| — ponderosa, 3-4 ft. | Sheltered | 90 | | |
| 4-5 ft.** | Sheltering | 1 25 | | |
| — rigida, 2-3 ft. | Shelter | 50 | | |
| 3-4 ft. | Shepherd | 65 | | |
| — strobus, White Pine, 2-2½ ft. | Shin | 40 | 3 00 | 25 00 |
| 2½-3 ft.** | Shiner | 50 | 4 50 | 40 00 |
| 3 - 4 ft.** | Shine | 75 | 7 00 | 65 00 |
| 4 - 5 ft.** | Shingle | 1 25 | 12 00 | 100 00 |
| 5 - 6 ft.** | Shingles | 2 00 | 17 50 | |

| PINUS—Continued | | Tel. Code | Each | Per 10 | Per 100 |
|---|----------------------|-----------|---------|---------|---------|
| — <i>nana</i> , Dwf. Wh. Pine, 12–18 in. across | Ship | \$ 40 | | | |
| — <i>sylvestris</i> , Scotch Pine, 2–3 ft. | Shirk | 50 | \$ 4 50 | \$35 00 | |
| 3–4 ft.** | Shirking | 80 | 7 50 | 60 00 | |
| 4–5 ft.** | Shirt | 1 30 | 12 00 | | |
| 5–6 ft.** | Shiver | 2 00 | | | |
| — <i>nana</i> , 12–15 in | Shock | 50 | | | |
| — Tanyoshio, 15–18 in.** | Shocking | 80 | 7 50 | | |
| 18–24 in.** | Shocked | 1 25 | 10 00 | | |
| 2–2½ ft.** | Shoed | 1 50 | | | |
| RETINOSPORA— | | . | | | |
| — <i>ericoides</i> , 15–18 in., extra bushy | Shoe | 35 | 3 00 | | |
| — <i>Lycopodioides</i> , Club Moss, 18 in. | Shot | 60 | | | |
| — <i>obtusa</i> , 18–24 in | Shout | 50 | 4 50 | | |
| 2–3 ft.** | Shouted | 90 | 8 00 | | |
| 3–4 ft.** | Shouting | 1 75 | | | |
| — <i>compacta</i> , 12–15 in., bushy | Shovel | 25 | 2 25 | 20 00 | |
| 15–18 in., “ | Shovelled | 30 | 2 50 | | |
| 18–24 in., “ ** | Shovelling | 45 | 4 00 | 35 00 | |
| 2–2½ ft., “ ** | Showing | 55 | 5 00 | | |
| — <i>gracilis</i> , 18–24 in | Show | 75 | | | |
| 2½–3 ft.** | Showy | 1 00 | | | |
| — <i>aurea</i> , 18–24 in.** | Shower | 45 | | | |
| — <i>nana</i> , Dwarf, 8–10 in. | Shred | 30 | | | |
| 12–15 in | Shrewd | 45 | | | |
| — <i>aurea</i> , Dwarf Golden, 10–12 in | Shuffle | 30 | | | |
| 12–18 in | Shuffling | 50 | | | |
| — <i>pisifera</i> , 18–24 in | Shun | 45 | 4 00 | | |
| 2–2½ ft.** | Shunned | 55 | 5 00 | | |
| 2½–3 ft.** | Shunning | 75 | | | |
| — <i>aurea</i> , 12–18 in | Sick | 20 | | | |
| 1½–2 ft | Sicken | 45 | 4 25 | 40 00 | |
| 2–2½ ft., ** sheared | Sickening | 70 | 6 50 | 60 00 | |
| 2½–3 ft., ** “ | Sickley | 80 | 7 50 | | |
| 3 – 4 ft., ** “ | Sickness | 1 50 | 12 50 | 100 00 | |
| 4 – 5 ft., ** “ | Sickly | 2 00 | 17 50 | | |
| 5 – 6 ft., ** “ | Sif | 2 25 | | | |
| — <i>plumosa</i> , 12–18 in | Sifter | 25 | 2 00 | 15 00 | |
| 18–24 in., sheared | Sift | 45 | 4 00 | 35 00 | |
| 2–2½ ft., ** sheared | Sifting | 65 | 6 00 | 50 00 | |
| 2½–3 ft., ** “ | Sigh | 85 | 8 00 | 75 00 | |
| 3 – 4 ft. ** “ | Sighing | 1 25 | 10 00 | 90 00 | |
| 4 – 5 ft., ** “ | Sight | 1 75 | 16 50 | 150 00 | |
| 5 – 6 ft., ** “ | Sightless | 2 25 | 20 00 | | |
| 6 – 8 ft., ** “ | Sightly | 3 00 | | | |
| — <i>argentea</i> , 12–15 in | Signal | 30 | | | |
| 18–24 in., sheared | Signature | 45 | 4 00 | | |
| 2–3 ft., ** “ | Signet | 60 | 5 50 | 50 00 | |
| 3–4 ft., ** “ | Sig | 1 00 | | | |
| — <i>aurea</i> , 12–15 in | Silent | 25 | 2 00 | | |
| 1½–2 ft., sheared | Silence | 45 | 4 00 | 35 00 | |
| 2–2½ ft., ** “ | Silently | 70 | 6 50 | 60 00 | |
| 2½–3 ft., ** “ | Silk | 80 | 7 50 | 70 00 | |
| 3–4 ft., **sheared, bushy | Silken | 1 25 | 11 50 | 95 00 | |
| 4–5 ft., ** “ | Silky | 2 00 | 17 50 | 150 00 | |
| 5–6 ft., ** “ | Sill | 2 50 | 22 50 | | |
| 6–7 ft., ** “ | Silly | 3 50 | 30 00 | | |
| — <i>filifera</i> , 12–15 in | Silliness | 25 | 2 00 | | |
| 18–24 in | Sillure | 40 | 3 50 | | |
| 2–2½ ft.** | Silva | 70 | 6 50 | | |
| 2½–3 ft.** | Silvan | 1 25 | 11 50 | 100 00 | |
| 3–4 ft.** | Silver | 1 75 | 15 00 | 125 00 | |
| 4–4½ ft.** | Silvering | 2 25 | 20 00 | | |
| 5–6 ft.** | Silvery | 2 50 | | | |
| — <i>aurea</i> , 12–15 in., bushy | Silvered | 45 | 4 00 | | |
| 18–24 in., “ ** | Similar | 60 | 5 50 | 50 00 | |
| — <i>variegata</i> , 15–18 in | Simile | 35 | 3 00 | | |
| 18–24 in | Similitude | 50 | 4 50 | | |
| 2–2½ ft.** | Simmer | 75 | 7 00 | | |

RETINOSPORA—Continued

| | Tel. Code | Each | Per 10 | Per 100 |
|---------------------------------|--------------|-------|---------|---------|
| — Lutescens, 12-15 in. | Simper | \$ 25 | \$ 2 25 | \$20 00 |
| 1½-2 ft.** | Simpleness | 55 | 5 00 | |
| 2-2½ ft.** | Simpleton | 1 15 | 10 00 | |
| — squarrosa Veitchii, 12-18 in. | Since | 35 | 3 00 | 25 00 |
| 1½-2 ft., sheared, bushy | Sincere | 45 | 4 00 | 35 00 |
| 2-2½ ft.** " | Sincerely | 65 | 5 50 | 50 00 |
| 2½-3 ft.** " | Sin | 85 | 8 50 | 75 00 |
| 3 -4 ft.** " | Sincerity | 1 50 | 12 50 | 100 00 |
| 4 -5 ft.** " | Sinecure | 2 00 | 17 50 | |
| 5 -6 ft.** " | Sinew | 3 00 | | |
| 6 -7 ft.** " | Sinfulness | 4 00 | 37 50 | |
| 7 -8 ft.** " | Sinful | 5 00 | 45 00 | |
| — sulphurea, 12-18 in. | Singularly | 35 | 3 00 | |
| 2-2½ ft.** | Singularness | 65 | | |
| — Sieboldi, 18 in. | Sinfully | 45 | 4 00 | |

RHODODENDRON—Hardy Named Varieties

| | | | | |
|---|--------------------------|-------------|------|-------|
| — album Elegans, | | | | |
| — caractacus, | 12-18 in., no buds | Sing | 50 | 4 50 |
| — delicatissima, | 12-18 in., few buds | Singer | 55 | 5 00 |
| — Dr. Torrey, | 18-24 in., few buds** | Singing | 65 | 6 00 |
| — everestianum, | 18-24 in., well budded** | Single | 75 | 7 00 |
| — grandiflora, | 2-2½ ft., ** | Singluar | 1 25 | 11 50 |
| — macrantha, | 2½-3 ft., ** | Singularity | 1 50 | |
| — roseum elegans, | | | | |
| — roseum superba. | 12-18 in., no buds | Sink | 55 | 5 00 |
| — atro-sanguinea, | 12-18 in., few buds | Sinker | 65 | 6 00 |
| — Abr. Lincoln, | 18-24 in., few buds** | Sinking | 75 | 7 00 |
| — boule de neige, | 18-24 in., well budded** | Sinless | 85 | 8 00 |
| — Chas. Dickens, | 2-2½ ft., ** | Sinner | 1 50 | 12 50 |
| — kettledrum, | | | | |
| — Mrs. Milner, | 15-18 in., no buds | Sit | 45 | 4 00 |
| — Gen. Grant, | 18-24 in., few buds** | Site | 55 | 5 00 |
| — H. W. Sargent, | 18-24 in., well budded** | Sitting | 65 | 6 00 |
| — rosea lutea, | 2-2½ ft., ** | Situate | 1 15 | 10 00 |
| | 2½-3 ft., ** | Situation | 1 25 | |
| — catawbiense, | 15-18 in., extra | Sizable | 50 | 4 50 |
| | 2 -3 ft. | Size | 1 00 | 7 50 |
| | 3 -4 ft. | Sizing | 1 50 | |
| Collected stock in carload lots. Prices on application. | | | | |
| SCIADOPITYS —verticillata, 2-2½ ft.** | | | | |
| | 2½-3 ft.** | Skeptic | 2 00 | 17 50 |
| | 3-3½ ft.** | Skeptical | 2 50 | 24 00 |
| | 4 ft.** | Skepticism | 3 50 | 34 00 |
| | 5-6 ft.** | Sketch | 5 00 | 47 50 |
| | | Sketched | 6 00 | 55 00 |
| TAXUS —Cuspidata, 12-18 in. | | | | |
| | 15-18 in. | Skillet | 35 | |
| | 18-24 in. | Skill | 75 | |
| | 2-2½ ft. | Skillful | 1 00 | |
| | | Skillfully | 1 25 | |
| — brevifolia, 12-18 in. | | Skim | 55 | 5 00 |
| | 18-24 in.** | Skimmer | 90 | 8 50 |
| | 2-2½ ft.** | Skimming | 1 25 | |
| — repandens, 8-10 in. | | Skip | 40 | 3 50 |
| | 12-15 in. | Skipper | 65 | 6 00 |
| | 15-18 in. | Skipped | 75 | |
| — elegantissima, 2-3 ft.** | | Skipping | 75 | |
| — pyramidal, 3 ft.** | | Slab | 1 50 | 12 50 |
| | 4 ft.** | Slack | 1 75 | |
| THUYA —occidentalis, Am. Arbor Vitae, 18 in. | | | | |
| | 2-2½ ft.** | Slander | 15 | 1 30 |
| | 2½-3 ft.** | Slanderous | 30 | 2 75 |
| | 3 -4 ft.** | Slandering | 40 | 3 75 |
| | 4 -5 ft.** | Slang | 60 | 5 00 |
| | 5 -6 ft.** | Slant | 90 | 8 00 |
| | 6 -7 ft.** | Slanting | 1 30 | 12 00 |
| | | Slap | 1 50 | |

| | Tel. Code | Each | Per 10 | Per 100 |
|---|----------------------|-------|---------|---------|
| THUYA—Continued | | | | |
| — <i>aurea lutea</i> , Geo. Peabody, 12-18 in. | Slat | \$ 35 | \$ 3 00 | |
| 18-24 in. | Slate | 50 | 4 50 | \$40 00 |
| 2-2½ ft.** | Slave | 65 | 6 00 | |
| 2½-3 ft.** | Slavish | 85 | 7 50 | |
| 4 -5 ft.** | Slaying | 1 60 | 15 00 | |
| 5 -6 ft.** | Slay | 1 75 | 15 00 | |
| — — Boothi, 12-18 in. | Sleep | 40 | 3 50 | 30 00 |
| 18-24 in. | Sleeping | 50 | 4 50 | 40 00 |
| — — columbian, Silver Tipped, 12-18 in. | Sleeper | 30 | | |
| 18-24 in. | Sleepless | 40 | | |
| 2-2½ ft.** | Sleepy | 50 | | |
| — — compacta, Parsons Dwf., 8-12 in. | Slice | 20 | 1 80 | 15 00 |
| 12-15 in. | Slicking | 30 | 2 50 | 20 00 |
| 15-18 in. | Slick | 40 | 3 50 | 30 00 |
| 18-24 in.** | Slide | 45 | 4 00 | |
| 2-2½ ft.** | Sliding | 50 | | |
| — — cristata, 18 in. | Slider | 45 | | |
| — — Ellwangeriana, 12-18 in. | Slid | 25 | 2 00 | |
| 18-24 in. | Slip | 40 | 3 50 | 30 00 |
| — — globosa, Dwarf Globe, 8-12 in. | Slipper | 15 | 1 25 | |
| 12-18 in. | Slipped | 30 | 2 25 | 20 00 |
| 18-24 in.** | Slippery | 55 | 5 00 | 45 00 |
| 2 ft.** | Slipping | 75 | 7 00 | |
| — — Hoveyi, Hovey's Golden Dwf., 15-18 in. | Slop | 30 | 2 50 | |
| 1½-2 ft.** | Slope | 45 | 4 00 | |
| 2-2½ ft.** | Slot | 50 | | |
| — — plicata, (Douglasi spiralis), 18-24 in. | Slower | 45 | 4 00 | |
| 2-2½ ft.** | Slow | 70 | 6 50 | |
| — — pyramidalis, Pyramidal Arb. Vit., 12-18 in. | Smack | 15 | 1 00 | |
| 1½-2 ft. | Small | 18 | 1 50 | |
| 2-2½ ft.** | Smaller | 30 | 2 50 | |
| 2½-3 ft.** | Smart | 40 | 3 50 | |
| 3-4 ft.** | Smartness | 75 | 6 50 | 55 00 |
| 4-5 ft.** | Smarter | 1 00 | 9 00 | 85 00 |
| 5-6 ft.** | Smash | 1 35 | 12 50 | |
| — — Rosedale Hyb. (See Biota). | | | | |
| — Rosenthali, 18-24 in.** | Smoke | 50 | 4 50 | |
| 2-2½ ft.** | Smoky | 75 | | |
| — Spathii, 12-15 in. | Smoking | 35 | | |
| 18-24 in. | Smooth | 55 | 5 00 | |
| — trivifolia, 12-18 in. | Smoothlike | 30 | 2 50 | |
| — umbraculifera, Dwf. Arbor Vitae, 8-12 in. | Smoothing | 20 | | |
| 15-18 in.** | Smoothly | 35 | 3 00 | |
| 18-24 in.** | Smoothness | 45 | 4 50 | |
| — — vervæneana, Vervænes Golden, 18-24 in. | Smuggle | 40 | 3 50 | |
| 2-2½ ft.** | Smuggler | 55 | 5 00 | |
| 3-4 ft.** | Smug | 85 | | |
| — — warreana, Siberian Arbor Vitae, 12-15 in. | Snake | 15 | 1 25 | |
| 1½-2 ft. | Snaps | 35 | 3 00 | 25 00 |
| 2-2½ ft. | Snappish | 50 | 4 00 | 35 00 |
| 3 ft.** | Snare | 65 | 6 00 | |
| TSUGA—canadensis, Hemlock Spruce, | | | | |
| 1½-2 ft., bushy | So | 55 | 5 00 | |
| 2-2½ ft., " | Soak | 65 | 6 00 | 55 00 |
| 2½-3 ft., " | Soaking | 90 | 7 50 | 70 00 |
| 3 -4 ft., " ** | Soap | 1 25 | 11 00 | 100 00 |
| 4 -5 ft., " ** | Soar | 1 75 | 16 50 | 150 00 |
| 5 -6 ft., " ** | Soared | 2 00 | | |
| 6 7 ft., " ** | Soaring | 3 50 | | |
| — Caroliana, 18-25 in.** | Social | 75 | | |
| 2-2½ ft. | Socially | 1 00 | | |
| — Sargentii pendula, 18-24 in.** | Socialist | 1 00 | | |
| 2-2½ ft.** | Softly | 1 50 | | |
| 3-4 ft.** | Softness | 2 50 | | |
| THUYOPSIS—borealis, Nootka Sound Cyp., 18-24 in. | Soft | 50 | | |
| — Standish, 2-2½ ft. | Soften | 75 | | |
| 3-4 ft. | Soiling | 1 50 | | |
| YUCCA—filamentosa, Adam's Needle, 2 yr. | Soiled | 10 | 90 | 7 00 |
| 3 yr. | Soil | 12 | 1 10 | 9 00 |

HARDY HERBACEOUS PERENNIALS

We try to supply most of our perennials in field grown (F. G.) stock, but where we run short, especially later in the spring season, we supply pot-grown (P. G.) stock from $\frac{3}{4}$ in. pots at 25 per cent discount of the prices quoted, except where only pot-grown stock is offered. For late spring planting we advise the setting of pot-grown stock.

| | Tel. Code | Each | Per 10 | Per 100 |
|--|-------------|-------|--------|---------|
| Achillea —boule de neige, F.G. | Oar | \$ 10 | \$ 80 | \$ 6 00 |
| —millefolia rosea, F.G. | Oasis | 10 | 80 | 6 00 |
| —ptarmatica, The Pearl , F.G. | Oats | 10 | 80 | 6 00 |
| Aconitum —assorted, F.G. | Oatmeal | 10 | 80 | |
| Alyssum —saxatile compactum, F.G. | Oath | 10 | 80 | |
| Anchusa —italica, F.G. | Obedience | 10 | 80 | 6 00 |
| Anemone —japonica assorted, F.G. | Obedient | 10 | 80 | 7 00 |
| Anthemis —tinctoria, F.G. | Obdiently | 10 | 80 | |
| Anthenaria —caspitoza, F.G. | Obey | 10 | 80 | 6 00 |
| Aquilegia —canadensis, F.G. | Obeyed | 10 | 80 | 6 00 |
| —chrysanthia, F.G. | Obeying | 10 | 80 | 6 00 |
| —coerulea, F.G. | Obeyers | 10 | 80 | 7 00 |
| —helena, F.G. | Obituary | 10 | 80 | 6 00 |
| Arabis —alpina, F.G. | Object | 10 | 80 | 6 00 |
| —rosea, F.G. | Objected | 10 | 80 | |
| Armeria —caspitoza, F.G. | Objecting | 10 | 80 | |
| —formosa, F.G. | Objection | 10 | 80 | 6 00 |
| Asclezia —tuberosa, F.G. | Objecter | 10 | 80 | |
| Aster —amellus, Perry's Fav. , F.G. | Oblation | 10 | 80 | 6 00 |
| —beauty of Colwall, F.G. | Obligate | 15 | | |
| —novae angelae, F.G. | Obligation | 10 | 80 | 5 00 |
| —pulcherrimus, F.G. | Oblige | 12 | 1 00 | |
| —Robert Parker, F.G. | Obliging | 10 | 90 | 8 00 |
| —snowflake, F.G. | Oblique | 10 | 80 | 6 00 |
| —white queen, F.G. | Oblivion | 10 | | |
| Astilbe —Gladstoni, F.G. | Oblivious | 10 | | |
| —japonica, F.G. | Oblong | 10 | | |
| Bellis —perennis, F.G. | Obnoxious | 10 | 80 | 4 00 |
| Bocconia —cordata, F.G. | Obnoxiously | 10 | 80 | |
| Boltonia —asteroides, F.G. | Obscene | 10 | 60 | 6 00 |
| —latissquama, F.G. | Obscenely | 10 | 80 | 6 00 |
| Callirhoe —involucrata, F.G. | Obscenity | 10 | 80 | |
| Calluna —vulgaris, assorted, F.G. | Obscure | 15 | 1 30 | 12 00 |
| Campanula —Carpatica, assorted, F.G. | Obscured | 10 | 80 | 6 00 |
| —media, assorted, F.G. | Obscurity | 10 | 80 | 6 00 |
| —Moerheimi, F.G. | Obscurely | 12 | 1 10 | 10 00 |
| —persaecifolia, assorted, F.G. | Observance | 10 | 80 | 6 00 |
| Centaurea —montana, F.G. | Observant | 10 | 80 | |
| Cerastium —tomentosum, F.G. | Observation | 10 | 80 | 6 00 |
| Chrysanthemum —Hardy, F.G. (Pompon and Large.) | Observe | 10 | 80 | 6 00 |
| —maximum, Shasta Daisy, F.G. | Observed | 10 | 80 | 6 00 |
| Convalaria —Clumps, F.G. | Observing | 18 | 1 20 | |
| —Pips, F.G. | Obsolete | 05 | 40 | 3 00 |
| Coreopsis —lanceolata, F.G. | Obstacle | 10 | 80 | 6 00 |
| —rosea, F.G. | Obstinacy | 10 | 80 | 7 00 |
| Delphinium —Belle Donna, F.G. | Obstinate | 10 | 80 | |
| —elatum, F.G. | Obstinately | 10 | 80 | |
| —formosum, F.G. | Obstruct | 10 | 80 | |
| —sinensis (blue and white), F.G. | Obstructed | 10 | 80 | 6 00 |
| —sulphureum, F.G. | Obstruction | 12 | 80 | |
| Dianthus —barbatus, Assorted Colors, F.G. | Obstructing | 10 | 80 | 5 00 |
| —Newport Pink, F.G. | Obstructive | 12 | | |
| —lat-atro-coccinea, fl. pl., F.G. | Obtain | 10 | 90 | 8 00 |
| —plumarius, F.G. | Obtained | 10 | 80 | 6 00 |
| —Carmen, F.G. | Obtainer | 10 | 80 | |
| —Gertrude, F.G. | Obtaining | 10 | 80 | 6 00 |
| —Her Majesty, F.G. | Obvious | 10 | 80 | 6 00 |
| —Lord Lyons, F.G. | Obviously | 10 | 80 | |
| Dicentra —spectabilis, F.G. | Occasion | 12 | 1 00 | 9 00 |
| Digitalis —assorted colors, F.G. | Occasional | 10 | 80 | 6 00 |
| Echinacea —purpurea, F.G. | Occupant | 10 | 80 | |

| | Tel. Code | Occupation | \$ | Each | Per 10 | Per 100 |
|--|-------------|------------|----|------|---------|---------|
| <i>Erinius</i> — <i>alpina</i> , F. G. | Occur | ... | 10 | 80 | | |
| <i>Eupatorium</i> — <i>ageratoides</i> , F. G. | Occupy | ... | 10 | 80 | \$ 6 00 | |
| — <i>coelestimum</i> , F. G. | Occupied | ... | 10 | 80 | 6 00 | |
| <i>Festuca</i> (See Grasses). | | | | | | |
| <i>Funkia</i> — <i>coerulea</i> , F. G. | Occurrence | ... | 10 | 80 | 5 00 | |
| — <i>undulata variegata</i> , F. G. | Ocean | ... | 12 | 1 00 | | |
| — <i>subcordata</i> , gr. fl., F. G. | Oceanic | ... | 10 | 80 | 6 00 | |
| <i>Gaillardia</i> — <i>grandiflora</i> , F. G. | Oceanic | ... | 10 | 80 | 6 00 | |
| <i>Geum</i> — <i>atro-sanguinea</i> , F. G. | Octagon | ... | 10 | 80 | 6 00 | |
| <i>Gypsophylla</i> — <i>paniculata</i> , F. G. | Octagonal | ... | 12 | 80 | 7 00 | |
| <i>Helenium</i> — <i>autumnale rubra</i> , F. G. | Octave | ... | 12 | 1 00 | | |
| — <i>pulcherrima Major</i> , F. G. | Octavo | ... | 12 | | | |
| <i>Helianthus</i> — <i>maximiliana</i> , F. G. | Odd | ... | 10 | 80 | | |
| — <i>molle</i> , F. G. | Oddity | ... | 10 | | | |
| — <i>multiflora</i> , fl. pl., F. G. | Oddly | ... | 12 | | | |
| <i>Heliospasis</i> — <i>Pitcheriana</i> , F. G. | Oddness | ... | 10 | 80 | | |
| <i>Hemerocallis</i> —assorted, F. G. | Odious | ... | 10 | 80 | 6 00 | |
| <i>Hernaria</i> — <i>glabra</i> , F. G. | Odiously | ... | 12 | | | |
| <i>Heucheria</i> — <i>Sanguinea</i> , P. G. & F. G. | Odium | ... | 10 | 80 | 7 00 | |
| <i>Hibiscus</i> —assorted | Ode | ... | 10 | 80 | | |
| <i>Hollyhocks</i> —assorted colors, single and double, F. G. | Odor | ... | 10 | 80 | 6 00 | |
| <i>Iberis</i> — <i>semperfervens</i> , F. G. | Odorless | ... | 10 | 80 | 6 00 | |
| — <i>Gibraltarica</i> , F. G. | Offense | ... | 12 | 1 00 | 7 00 | |
| <i>Inula</i> — <i>ensifolia</i> , F. G. | Offend | ... | 12 | | | |
| <i>Iris</i> — <i>dalmatica pallida</i> , F. G. | Offended | ... | 15 | 1 50 | | |
| — <i>dwarf cyanæa</i> , F. G. | Offender | ... | 10 | 80 | 5 00 | |
| — <i>german</i> , assorted colors, F. G. | Offending | ... | 10 | 80 | 6 00 | |
| — <i>japan</i> , assorted colors, F. G. | Offensive | ... | 10 | 80 | 8 00 | |
| — <i>siberian</i> , F. G. | Offer | ... | 10 | 80 | 5 00 | |
| <i>Lathyrus</i> —pink beauty, F. G. | Offering | ... | 10 | 80 | | |
| <i>Liatrus</i> — <i>pycnostachia</i> , F. G. | Officer | ... | 10 | 80 | | |
| <i>Lilium</i> — <i>melpomene</i> , F. G. | Officer | ... | 10 | 80 | | |
| <i>Linum</i> — <i>perenne</i> , F. G. | Official | ... | 10 | 80 | | |
| <i>Lobelia</i> — <i>cardinalis</i> , F. G. | Officially | ... | 10 | 80 | | |
| <i>Lupinus</i> — <i>poliphyllus</i> , moerheimi, F. G. | Officiate | ... | 10 | 80 | | |
| <i>Lychnus</i> — <i>chaledonica</i> , pink, F. G. | Often | ... | 10 | 80 | | |
| — <i>haageana</i> , F. G. | Oil | ... | 10 | 80 | | |
| — <i>diurna</i> , fl. pl., F. G. | Oily | ... | 10 | 80 | 6 00 | |
| — <i>viscaria</i> , F. G. | Oiled | ... | 10 | 80 | | |
| <i>Lysimachia</i> — <i>clethroides</i> , F. G. | Ointment | ... | 10 | 80 | | |
| <i>Malva</i> — <i>moeschata</i> , F. G. | Old | ... | 10 | 80 | 6 00 | |
| <i>Monarda</i> — <i>didyma</i> , F. G. | Omelet | ... | 10 | | | |
| <i>Myosotis</i> — <i>palustris</i> , F. G. | Omission | ... | 10 | 80 | 6 00 | |
| <i>Oenethra</i> — <i>Youngi</i> , F. G. | Omit | ... | 10 | 80 | 6 00 | |
| — <i>spicata</i> , F. G. | Omitted | ... | 10 | 80 | | |
| <i>Pachysandra</i> — <i>terminalis</i> , F. G. & P. G. | On | ... | 12 | 1 00 | 9 00 | |
| — <i>variegata</i> , F. G. | Once | ... | 12 | 1 00 | 9 00 | |
| <i>Paeonia</i> — <i>officinalis rubra</i> , F. G. | Only | ... | 15 | 1 30 | 10 00 | |
| — <i>rosea</i> , F. G. | Onward | ... | 15 | 1 30 | | |
| — <i>mutabilis</i> , F. G. | Opal | ... | 15 | 1 30 | | |
| — <i>tenuifolia</i> , fl. pl., F. G. | Opened | ... | 20 | 1 80 | | |
| — <i>sinensis</i> , assorted varieties, 2 yr., F. G. | Open | ... | 15 | 1 30 | 12 00 | |
| — <i>Festiva Maxima</i> , F. G. | Opening | ... | 20 | 1 80 | | |
| <i>Papaver</i> — <i>orientalis</i> , Red and Pink, F. G. | Openly | ... | 10 | 80 | 6 00 | |
| — <i>Nudicale</i> , P. G. & F. G. | Opera | ... | 10 | 80 | 5 00 | |
| <i>Paradanthus</i> —F. G. | Operate | ... | 10 | 80 | | |
| <i>Pentstemon</i> — <i>barbatus</i> , F. G. | Operation | ... | 10 | 80 | | |
| <i>Phalaris</i> —(See Grasses). | | | | | | |
| <i>Phlox</i> — <i>amona</i> , F. G. | Operator | ... | 10 | 60 | 5 00 | |
| — <i>divaricata</i> , laphami, F. G. | Opiate | ... | 12 | 1 00 | | |
| — <i>decussata</i> , good kinds, F. G. | Opinion | ... | 10 | 70 | 6 00 | |
| — <i>subulata</i> (pink and white), F. G. | Opponent | ... | 10 | 60 | 4 00 | |
| <i>Physostegia</i> —F. G. | Opportunity | ... | 10 | 80 | 6 00 | |
| <i>Platycodon</i> —blue and white, F. G. | Oppose | ... | 10 | 80 | | |
| <i>Plumbago</i> — <i>larpentæ</i> , F. G. | Opposed | ... | 10 | 80 | 6 00 | |
| <i>Polemonium</i> — <i>Richardsoni</i> , F. G. | Opposing | ... | 10 | 80 | 6 00 | |
| <i>Primula</i> — <i>japonica</i> , F. G. | Opposite | ... | 10 | 80 | 6 00 | |
| — <i>veris</i> , F. G. | Opposition | ... | 10 | 80 | 6 00 | |
| — <i>vulgaris</i> , F. G. | Oppress | ... | 10 | 80 | 6 00 | |

| | Tel. Code | Each | Per 10 | Per 100 |
|--|--------------|------|--------|---------|
| Pyrethrum —dbl. mixed, F. G. | Oppressed \$ | 10 | \$ 80 | \$ 6 00 |
| — grandiflora, mixed, F. G. | Oppression | 10 | 80 | |
| — uliginosum, F. G. | Oppressing | 10 | 80 | |
| Rudbeckia —autumn sun, F. G. | Oppressive | 10 | | |
| — lacineata, F. G. | Optical | 10 | 60 | 4 00 |
| — Newmanni, F. G. | Optician | 10 | 80 | |
| — purpurea, F. G. | Option | 10 | 80 | 7 00 |
| Salvia —azurea, F. G. | Optional | 10 | 80 | 6 00 |
| — greggi (new), F. G. | Optioned | 50 | 3 50 | 25 00 |
| Saturea —montana, F. G. | Oration | 10 | 80 | |
| Saxifraga —cordifolia, F. G. | Orator | 12 | | |
| Scabiosa —japonica, F. G. | Oratory | 12 | 1 00 | 8 00 |
| — canadensis, F. G. | Ordaining | 10 | 80 | 6 00 |
| Sedum —acre, F. G. | Ordain | 10 | 80 | 5 00 |
| — Kamschaticum, F. G. | Ordained | 10 | 80 | 5 00 |
| — spectabilis and Var., F. G. | Ordeal | 10 | | |
| — stolonifera, F. G. | Order | 10 | | |
| — sexangulare, F. G. | Ordering | 10 | | |
| Solidago —rigida, F. G. | Orderly | 10 | 80 | |
| Spirea —filipendula, F. G. | Ordinance | 10 | 80 | |
| Stachys —lanata, F. G. | Ordinary | 10 | 80 | |
| Stokesia , blue and white, P. G. & F. G. | Organ | 10 | 80 | 6 00 |
| Thalictrum —aquilegifolia, F. G. | Organic | 10 | 90 | |
| Thymus —lanuginosa, F. G. | Orient | 10 | 80 | |
| — serpyllum, splendens, F. G. | Origin | 10 | 80 | |
| Tritoma —uvaria, F. G. | Original | 10 | 80 | 5 00 |
| Trollus —europea, F. G. | Originate | 10 | | |
| Tunica —saxifraga, F. G. | Ornament | 10 | 80 | |
| Veronica —spicata, F. G. | Orthodox | 10 | 80 | 6 00 |
| — subsessilis, F. G. | Our | 10 | 80 | 8 00 |
| Viola —cornuta Admiration, dark blue, F. G. | Out | 10 | 60 | 5 00 |
| — perfection, light blue, F. G. | Outfit | 10 | 60 | 5 00 |
| — perfection, white, F. G. | Outline | 10 | 60 | 5 00 |
| Violet —Russian, double blue, F. G. | Outside | 10 | | |

HARDY GRASSES

| | | | | |
|--|---------|------|----|------|
| Arundinaria —Nitida (new) | Race | 1 00 | \$ | \$ |
| Arundo —Donax, strong divisions | Rack | 10 | 80 | |
| Eulalia —Japonica, clumps | Racket | 08 | 70 | 6 00 |
| Eulalia —Continued | | | | |
| — gracillima, clumps | Radical | 08 | 70 | 5 00 |
| — variegated, clumps | Raft | 08 | 70 | 5 00 |
| — Zebra, clumps | Rag | 07 | 70 | 5 00 |
| Erianthus —ravenne | Rage | 10 | | |
| Festuca —glaucha | Rail | 10 | 60 | 5 00 |
| Phalaris —Var. Ribbon Grass | Rain | 10 | 80 | |
| Stenanthium robustum | Rainy | 50 | | |

MISCELLANEOUS

| | | | | |
|--|-------|----|----|------|
| Cannas | Raise | 10 | | |
| Dahlias —Dbl. and single named varieties, undivided | Rake | 10 | 80 | 5 00 |

FRUIT DEPARTMENT

| | | Each | Per 10 | Per 100 |
|--|----|-------|--------|---------|
| APPLES AND CRABS —Extra, $1\frac{1}{8}$ in. | XX | \$ 50 | | |
| “ 1 in., 6-8 ft | X | 40 | \$3 50 | |
| First grade, $\frac{3}{4}$ in., 5-7 ft | A | 25 | 2 25 | \$20 00 |
| Med. grade, $\frac{5}{8}$ - $\frac{3}{4}$ in., 4-6 ft | B | 20 | 1 75 | |
| Dwarf | A | 45 | 4 00 | |
| 2-3 ft | M | 35 | 3 00 | |
| PEARS —Std. $1\frac{1}{8}$ in., 6-8 ft | XX | 50 | | |
| Extra, $\frac{7}{8}$ and 1 in., 6-7 ft | X | 35 | | |
| First Grade, $\frac{3}{4}$ - $\frac{5}{8}$ in., 5-7 ft | A | 30 | 2 75 | 25 00 |

| | | | Each | Per 10 | Per 100 |
|---------------|--|-----------------------|-------|--------|---------|
| PEARS—Std. | Med. grade, $\frac{5}{8}$ — $\frac{3}{4}$ in., 4—5 ft. | B | \$ 20 | \$1 75 | |
| | Kieffer, $1\frac{1}{4}$ in., 6—8 ft. | XX | 50 | 4 00 | \$35 00 |
| | 1 in., 6—7 ft. | X | 35 | 3 00 | 25 00 |
| | $\frac{3}{4}$ in., 5—7 ft. | A | 25 | 2 25 | 20 00 |
| | $\frac{5}{8}$ in., 4—5 ft. | B | 15 | 1 25 | |
| PEARS Dwf.— | $\frac{7}{8}$ and 1 in., 3—4 ft. | X | 25 | | |
| | First grade, $\frac{3}{4}$ — $\frac{7}{8}$ in., 3—4 ft. | A | 20 | | |
| | Med. grade, $\frac{1}{2}$ — $\frac{5}{8}$ in., 2—3 ft. | B | 15 | | |
| CHERRIES— | Extra, $1\frac{1}{8}$ in., 6—8 ft. | XX | 50 | | |
| | Extra, 1 in., 6—7 ft. | X | 35 | 3 00 | |
| | First grade, $\frac{3}{4}$ — $\frac{7}{8}$ in., 5—7 ft. | A | 35 | 3 25 | 25 00 |
| | Med. grade, $\frac{5}{8}$ — $\frac{3}{4}$ in., 4—5 ft. | B | 20 | 1 50 | |
| PLUMS— | $1\frac{1}{4}$ in., 6—8 ft. | XX | 50 | | |
| | Extra, $\frac{7}{8}$ and 1 in., 5—7 ft. | X | 35 | | |
| | First grade, $\frac{3}{4}$ — $\frac{7}{8}$ in., 5—6 ft. | A | 30 | 2 75 | 25 00 |
| | Medium, $\frac{5}{8}$ in., 4—5 ft. | B | 20 | 1 50 | |
| PEACHES— | $\frac{3}{4}$ —1 in., 5—7 ft. | XX | 20 | | |
| | Extra, $\frac{5}{8}$ — $\frac{3}{4}$ in., 5—6 ft. | X | 15 | 1 25 | 12 00 |
| | First grade, $\frac{9}{16}$ — $\frac{5}{8}$ in., 4—6 ft. | A | 12 | 1 00 | 9 00 |
| | Medium, $\frac{1}{2}$ in., 4—5 ft. | M | 09 | 80 | 6 00 |
| | Second grade, $\frac{7}{16}$ in., 3—4 ft. | B | 08 | 70 | 5 00 |
| | Third class, 2—3 ft. | C | 06 | 50 | 4 00 |
| QUINCES— | Extra, $\frac{3}{4}$ —1 in., 4—6 ft. | XX | 40 | | |
| | Extra, $\frac{5}{8}$ in., 3—5 ft. | X | 30 | 2 75 | 25 00 |
| | First grade, $\frac{9}{16}$ in., 3—4 ft. | A | 25 | 2 25 | 20 00 |
| | Medium grade, $\frac{1}{2}$ in., $2\frac{1}{2}$ —3 ft. | M | 20 | 1 75 | |
| APRICOTS— | Extra, $\frac{3}{4}$ in., 4—6 ft. | X | 35 | | |
| | First grade, $\frac{5}{8}$ in., 3—5 ft. | A | 25 | | |
| | Second grade, $\frac{1}{2}$ in., 2—3 ft. | B | 20 | | |
| NECTARINES— | First grade, 4—5 ft. | | 25 | | |
| MULBERRIES— | Russian and White, 4—6 ft. | | 30 | | |
| | New American, 6—7 ft. | | 50 | | |
| NUTS— | Chestnut, American, 5—7 ft. | | 50 | | |
| | Filberts, 2—3 ft. | | 20 | 1 50 | |
| | Pecans, 2—3 ft. | | 50 | | |
| | Walnut, English, 2—3 ft. | | 30 | | |
| | “ Japan, 2—3 ft. | | 25 | | |
| | “ 3—4 ft. | | 30 | | |
| PERSIMMONS— | American, 3—4 ft. | | 25 | 2 00 | |
| | 4—6 ft. | | 35 | 3 00 | |
| GRAPES— | Long top vines for retailing. | | | | |
| | Concord, 2 and 3 yrs. | | 10 | 80 | 6 00 |
| | Agawam, Brighton, Catawba, Clinton, Delaware, | | | | |
| | Diamond, Moore's Early, Salem, Worden. | | 10 | 80 | 7 00 |
| | Campbell's Ea., 2 and 3 yr. | | 16 | 1 50 | |
| | Green Mountain, 2 and 3 years | | 25 | 2 00 | |
| CURRENTS— | Cherry, | | | | |
| | Fay's Prolific, | Medium, 2 and 3 years | 06 | 50 | 4 00 |
| | Lee's Black, | Strong, 2 and 3 yrs. | 07 | 60 | 5 00 |
| | White Grape, | Selected, 3 yrs | 08 | 70 | |
| | Wilder, | | | | |
| GOOSEBERRIES— | Downing, Houghton, 2 yrs. | | 12 | 1 00 | 9 00 |
| | 3 yrs. | | 12 | 1 00 | |
| | Industry, Smith's Imp., 3 yrs. | | 15 | 1 20 | |
| RASPBERRY— | Cuthbert, Gregg, Kansas | | | 2 00 | |
| | Columbia, Golden Queen, etc., Selected. | | | 2 00 | |
| | St. Regis (everbearing) | | | 4 00 | |
| BLACKBERRIES— | Ea. Harvest Blowers, | | | | |
| | Erie, Mersereau, | selected | | | 2 00 |
| | Rathbun, Ward | | | | |
| WINEBERRY— | Japan | | | 1 00 | |
| STRAWBERRIES— | Layer plants. | | | | 50 |
| | Pot plants | | | | 2 50 |
| ASPARAGUS— | Con. Colossal, 2 yrs., \$5.00 per 1000 | | | | 60 |
| RHUBARB | | | | | 60 |
| | | | | | 5 00 |

